

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City, Metro Manila

TWENTIETH CONGRESS
First Regular Session

House Bill No. 2816



Introduced by **Rep. FERDINAND ALEXANDER A. MARCOS**
1st District, Ilocos Norte

EXPLANATORY NOTE

Republic Act (RA) No. 10955 or the “Act Dividing Barangay Dumalneg in the Province of Ilocos Norte into three (3) Distinct and Independent Barangays to be known as Barangay Kalaw, Barangay Cabaritan and Barangay Quibel” was enacted into law on October 30, 2017.

The Department of Environment and Natural Resources (DENR) later found out that the said Technical Descriptions encroached the area of the Municipality of Bangui by 239.0664 hectares. Four sitios/puroks such as Sitio Pacac of Barangay Kalaw, Dumalneg and Purok Namnama, Purok Regata, and Sitio Arapang of Barangay Quibel, Dumlaneg are also sitios/puroks of Barangay Lanao, Bangui, Ilocos Norte. DENR therefore recommends the amendment of the Technical Descriptions.

Hence, this bill.

This proposed amendment of the specific provisions R.A. No. 10955 is meant to correct the inadvertent mistake in the Technical Description of the three (3) newly created *barangays* in the Municipality of Dumalneg. For leaving it uncorrected would affect the territorial jurisdictions of the two municipalities and cause confusion to their constituents as to what Municipality they belong. Further, the amendment would be consistent with the intention of the Act to divide only Barangay Dumalneg into 3 distinct and independent *barangays* and not to include any are of its adjoining municipalities in the division.

In view of the foregoing, the passage of this bill is earnestly sought.

FERDINAND ALEXANDER A. MARCOS

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City, Metro Manila

TWENTIETH CONGRESS
First Regular Session

House Bill No. 2816

Introduced by **Rep. FERDINAND ALEXANDER A. MARCOS**
1st District, Ilocos Norte

AN ACT

RECTIFYING THE COMPOSITION AND TECHNICAL DESCRIPTIONS OF BARANGAYS KALAW, CABARITAN AND QUIBEL IN THE MUNICIPALITY OF DUMALNEG, PROVINCE OF ILOCOS NORTE, AND THEIR ADJOINING LOCAL GOVERNMENT UNITS, AMENDING FOR THE PURPOSE REPUBLIC ACT NO. 10955, ENTITLED, "AN ACT DIVIDING BARANGAY DUMALNEG IN THE PROVINCE OF ILOCOS NORTE INTO THREE (3) DISTINCT AND INDEPENDENT BARANGAYS TO BE KNOWN AS BARANGAY KALAW, CABARITAN AND QUIBEL"

Be it enacted by the Senate and House of Representatives of the Philippines in Congress assembled:

SECTION 1. Section 2 of Republic Act No. 10955 is hereby amended to read as follows:

"SEC 2. *Composition.* – The existing puroks and sitios shall comprise the new barangays herein created as follows:

- (a) Barangay Kalaw. – Barangay Kalaw shall be composed of Purok Crisalita, Purok Saniata, [~~Sitio Paecac,~~] Sitio Banbanag, Sitio Sta. Maria, Sitio Siraong, Sitio As-asaan, Sitio Nasduan, Sitio Nappud, Sitio Nanguratao and Sitio Sisilungen.
- (b) Barangay Cabaritan. – Barangay Cabaritan shall be composed of Purok Timpuyog, Poblacion, Sitio Alilem, Sitio Cabartian, Sitio Capcapitan, Sitio Tapauan, Sitio Immalsung and Sitio Mangadamay.
- (c) Barangay Quibel. – Barangay Quibel shall be composed of [~~Purok Namnama,~~] Purok Danggayan, [~~Purok Regta,~~] Sitio Namoc, [~~Sitio Arapang,~~] Sitio Nalames, Sitio Baracbac, Sitio Bobog and Sitio Baset."

SEC. 2. The territorial boundaries of barangays Kalaw, Cabaritan, and Quibel in the Municipality of Dumalneg, Province of Ilocos Norte as identified under Section 3 of the same Act are hereby rectified, indicating MBM No. 9, Cad. 736-D, Dumalneg Cadastre as the tie-point, and specifically described as follows:

(a) Barangay Kalaw

Bounded on the Northeast (NE) along lines 1 to 2, by Municipality of Bangui; along lines 2 to 27 by the Municipality of Pagudpud (Bolo River);

On the Southeast (SE), along lines 27 to 39, by the Municipality of Adams;

On the Southeast (SE) and Northwest (NW) along lines 39 to 107, by Barangay Cabaritan;

On the Northwest (NW), along lines 107 to 112, by Barangay Quibel;

On the North (N) and Northeast (NE), along lines 112-149 to 1, by the Municipality of Bangui;

The technical description of Barangay Kalaw is as follows:

LINE	BEARING	DISTANCE (M)
TIEPOINT TO 1	S 43-50 E	1,773.07
1-2	S 64-41 E	1,807.41
2-3	S 11-30 E	62.67
3-4	S 45-52 E	211.68
4-5	S 45-25 E	233.55
5-6	S 27-53 E	130.24
6-7	S 23-25 E	353.66
7-8	S 21-56 E	368.09
8-9	S 67-14 W	251.78
9-10	S 38-07 W	374.04
10-11	S 35-18 E	206.70
11-12	S 49-34 E	260.59
12-13	S 20-54 W	304.04
13-14	S 23-31 E	226.47
14-15	S 52-50 E	349.04
15-16	S 78-03 E	552.96
16-17	S 36-59 E	252.68
17-18	S 48-02 W	310.15
18-19	S 11-30 W	327.51
19-20	S 53-27 E	504.27
20-21	S 20-17 E	93.13
21-22	S 71-51 E	617.91
22-23	S 78-51 E	453.25
23-24	S 82-42 E	393.51
24-25	S 89 -01 E	521.91
25-26	N 11-22 E	50.55
26-27	N 40-54 E	6,429.23
27-28	S 25-53 W	4,612.30
28-29	S 11-09 W	154.00
29-30	S 09-14 E	235.63

30-31	S 30-19 E	118.35
31-32	S 29-17 E	199.72
32-33	S 44-25 W	99.47
33-34	S 46-35 W	77.90
34-35	S 28-53 W	128.97
35-36	S 30-12 W	162.96
36-37	S 13-53 W	212.20
37-38	S 49-41 W	1,316.12
38-39	S 43-19 E	7,062.74
39-40	N 57-29 W	7,551.22
40-41	N 57-29 W	2,143.14
41-42	N 57-29 W	28.00
42-43	N 27-18 E	28.00
43-44	N 27-18 E	384.37
44-45	N 27-18 E	28.00
45-46	N 09-13 W	28.00
46-47	N 09-13 W	132.90
47-48	N 09-13 W	28.00
48-49	N 50-53 W	28.00
49-50	N 50-53 W	440.64
50-51	N 50-53 W	28.00
51-52	N 27-47 W	28.00
52-53	N 27-47 W	37.27
53-54	N 39-01 W	28.00
54-55	N 39-01 W	3,534.11
55-56	N 39-01 W	28.00
56-57	N 45-01 W	2,104.99
57-58	N 45-01 W	28.00
58-59	S 86-37 W	28.00
59-60	S 86-37 W	96.27
60-61	S 86-37 W	28.00
61-62	S 62-58 W	28.00
62-63	S 62-58 W	54.02
63-64	S 62-58 W	28.00
64-65	N 79-07 W	28.00
65-66	N 79-09 W	66.18
66-67	N 79-09 W	28.00
67-68	N 36-07 W	45.80
68-69	N 05-43 W	28.00
69-70	N 05-43 W	145.00
70-71	N 05-43 W	28.00
71-72	N 42-22 E	28.00
72-73	N 42-22 E	144.32
73-74	N 42-22 E	28.00
74-75	N 72-36 W	28.00
75-76	N 72-36 W	84.43
76-77	N 72-36	28.00
77-78	N 57-06 W	28.00

78-79	N 57-06 W	190.90
79-80	N 57-06 W	20.48
80-81	N 19-51 W	11.93
81-82	N 17-37 E	25.49
82-83	N 01-23 W	28.00
83-84	N 01-23 W	422.56
84-85	N 01-23 W	28.00
85-86	N 15-03 E	28.00
86-87	N 15-03 E	115.74
87-88	N 15-03 E	14.26
88-89	N 15-03 E	10.53
89-90	S 87-03 W	22.76
90-91	S 87-03 W	28.00
91-92	S 87-03 W	41.13
92-93	S 87-03 W	28.00
93-94	N 12-32 W	46.10
94-95	S 83-13 W	42.30
95-96	N 55-18 W	31.62
96-97	S 56-41 W	41.88
97-98	S 77-51 W	28.00
98-99	S 77-51 W	10.49
99-100	S 77-51 W	28.00
100-101	N 25-55 E	28.00
101-102	N 25-55 E	220.84
102-103	N 25-55 E	28.00
103-104	N 56-53 W	27.46
104-105	N 01-35 W	28.00
105-106	N 01-35 W	263.09
106-107	N 01-35 W	28.00
107-108	N 44-50 E	43.76
108-109	N 21-48 W	10.77
109-110	N 35-00 E	28.00
110-111	N 35-00 E	174.61
111-112	N 35-00 E	28.00
112-113	S 67-50 E	9.85
113-114	S 62-08 E	12.00
114-115	S 62-08 E	7.90
115-116	S 62-06 E	7.50
116-117	S 62-03 E	27.01
117-118	S 60-01 E	6.72
118-119	S 60-01 E	2.29
119-120	S 71-03 E	2.42
120-121	S 71-03 E	28.00
121-122	S 71-03 E	84.34
122-123	S 71-00 E	8.00
123-124	S 71-04 E	20.00
124-125	S 71-04 E	13.10
125-126	N 57-02 E	17.95

126-127	N 57-03 E	4.05
127-128	N 57-02 E	81.70
128-129	N 57-02 E	28.00
129-130	N 65-08 E	28.00
130-131	N 65-08 E	34.52
131-132	N 65-08 E	28.00
132-133	N 39-14 E	42.27
133-134	N 46-19 E	28.00
134-135	N 46-19 E	99.60
135-136	N 46-19 E	28.00
136-137	N 43-10 W	29.00
137-138	S 43-10 E	29.00
138-139	S 43-49 E	210.46
139-140	S 43-50 E	77.13
140-141	S 43-50 E	288.76
141-142	S 44-08 E	19.79
142-143	S 43-47 E	181.71
143-144	S 43-50 E	129.85
144-145	S 43-51 E	113.40
145-146	S 43-50 E	107.64
146-147	S 43-50 E	153.69
147-148	S 43-50 E	95.86
148-149	S 43-50 E	67.13
149-1	S 43-50 E	298.58

containing an area of twenty-nine million four hundred seventy-five thousand two hundred sixty-seven (29,475,267) square meters.

(b) Barangay Cabaritan

Bounded on the Southeast (SE) along lines 1 to 4 by Barangay Kalaw;
along lines 4 to 5 by Municipality of Adams;

On the Southwest (SW) along lines 5 to 6 by Municipality of Vintar;

On the Southwest (SW) and Northwest (NW) along lines 6 to 44 by
Barangay Quibel;

On the Northeast (NE) and Southeast (SE) along lines 44 to 107 to 1 by
Barangay Kalaw

The technical description of Barangay Cabaritan is as follows:

LINE	BEARING	DISTANCE (M)
TIEPOINT TO 1	S 28-55 E	8,520.09
1-2	S 57-29 E	28.00
2-3	S 57-29 E	2,143.14
3-4	S 57-29 E	7,551.22
4-5	S 43-19 E	7,835.74

5-6	N 63-20 W	4,774.85
6-7	N 48-50 W	10,172.10
7-8	N 48-50 W	2,159.16
8-9	N 43-34 W	1,054.96
9-10	N 72-15 W	203.48
10-11	N 46-29 W	86.54
11-12	N 41-01 W	4,863.45
12-13	N 41-18 W	515.50
13-14	N 54-58 W	215.09
14-15	N 03-31 W	128.52
15-16	S 78-16 W	65.62
16-17	N 43-03 W	237.00
17-18	S 87-38 W	151.73
18-19	N 81-47 W	294.82
19-20	N 01-16 W	25.18
20-21	N 44-44 E	190.29
21-22	N 15-57 W	43.14
22-23	N 51-20 E	68.06
23-24	N 17-56 E	178.68
24-25	N 21-48 E	102.32
25-26	N 05-24 E	169.76
26-27	N 38-03 W	29.21
27-28	N 20-40 W	56.65
28-29	N 01-33 E	37.01
29-30	N 31-55 W	134.30
30-31	N 34-16 W	193.60
31-32	N 51-59 W	139.83
32-33	N 10-07 W	28.44
33-34	N 56-19 E	90.14
34-35	N 07-58 E	50.49
35-36	N 12-24 W	102.39
36-37	N 07-08 E	80.62
37-38	N 42-20 E	60.88
38-39	N 29-45 E	64.50
39-40	N 23-22 E	216.79
40-41	N 69-35 E	100.30
41-42	N 32-18 E	249.07
42-43	N 19-28 E	14.98
43-44	N 19-1 E	317.76
44-45	S 01-35 E	28.00
45-46	S 01-35 E	263.09
46-47	S 01-35 E	28.00
47-48	S 56-53 E	27.46
48-49	S 25-55 W	28.00
49-50	S 25-55 W	220.84
50-51	S 25-55 W	28.00
51-52	N 77-51 E	38.49
52-53	N 77-51 E	28.00

53-54	N 56-41 E	41.88
54-55	S 55-18 E	31.62
55-56	N 83-13 E	42.30
56-57	S 12-32 E	46.10
57-58	N 87-03 E	28.00
58-59	N 87-03 E	41.13
59-60	N 87-03 E	28.00
60-61	N 87-03 E	22.76
61-62	S 15-03 W	24.79
62-63	S 15-03 W	115.74
63-64	S 15-03 W	28.00
64-65	S 01-23 E	28.00
65-66	S 01-23 E	422.56
66-67	S 01-23 E	28.00
67-68	S 17-37 W	25.49
68-69	S 17-37 W	7.49
69-70	S 57-06 E	7.52
70-71	S 57-06 E	20.48
71-72	S 57-06 E	190.90
72-73	S 57-06 E	28.00
73-74	S 72-36 E	28.00
74-75	S 72-36 E	84.43
75-76	S 72-36 E	28.00
76-77	S 42-22 W	28.00
77-78	S 42-22 W	144.32
78-79	S 42-22 W	28.00
79-80	S 05-43 E	28.00
80-81	S 05-43 E	145.00
81-82	S 05-43 E	28.00
82-83	S 36-07 E	45.80
83-84	S 79-09 E	28.00
84-85	S 79-09 E	66.18
85-86	S 79-09 E	28.00
86-87	N 62-58 E	28.00
87-88	N 62-58 E	54.02
88-89	N 62-58 E	28.00
89-90	N 86-37 E	28.00
90-91	N 86-37 E	96.27
91-92	N 86-37 E	28.00
92-93	S 45-01 E	28.00
93-94	S 45-01 E	2,104.99
94-95	S 39-01 E	28.00
95-96	S 39-01 E	3,543.11
96-97	S 39-01 E	28.00
97-98	S 27-47 E	37.27
98-99	S 27-47 E	28.00
99-100	S 50-53 E	28.00
100-101	S 50-53 E	440.64

101-102	S 50-53 E	28.00
102-103	S 09-13 E	28.00
103-104	S 09-13 E	132.90
104-105	S 09-13 E	28.00
105-106	S 27-18 W	28.00
106-107	S 27-18 W	384.37
107-1	S 27-18 W	28.00

containing an area of twenty-nine million five hundred ten thousand four hundred ninety-seven (29,510,497) square meters.

(c) Barangay Quibel

Bounded on the Northwest (NW) along lines 1 to 60 by Municipality of Bangui;

On the Northeast (NE) along lines 60 to 63 by Barangay Kalaw;

On the Northeast (NE) and Southeast (SE) along lines 63 to 100 by Barangay Cabaritan;

On the Southeast (SE) along lines 100 to 103 to 1 by Municipality of Vintar.

The technical description of Barangay Quibel is as follows:

LINE	BEARING	DISTANCE (M)
TIEPOINT TO 1	S 12-54 W	5,058.78
1-2	N 18-22 W	2,574.87
2-3	N 22-38 E	293.77
3-4	N 35-53 E	83.21
4-5	N 47-54 E	85.80
5-6	N 38-58 E	95.07
6-7	N 14-15 E	136.41
7-8	N 08-28 E	67.70
8-9	N 17-19 E	66.50
9-10	N 06-03 E	145.56
10-11	N 15-48 E	30.99
11-12	N 24-92 E	239.72
12-13	N 12-38 W	112.35
13-14	N 34-28 E	47.68
14-15	N 00-28 W	8.55
15-16	N 00-19 E	78.94
16-17	N 16-21 E	60.51
17-18	N 11-03 E	64.78
18-19	N 20-20 E	36.35
19-20	N 20-20 E	49.99
20-21	N 23-30 E	16.67
21-22	N 12-14 E	251.63
22-23	N 12-43 E	15.79

23-24	N 12-16 E	24.71
24-25	N 12-16 E	16.39
25-26	N 12-04 E	35.66
26-27	N 12-16 E	53.01
27-28	N 12-25 W	49.52
28-29	N 12-16 E	23.19
29-30	N 12-15 E	29.45
30-31	N 12-17 E	4.75
31-32	N 12-19 E	12.01
32-33	N 15-28 E	2.74
33-34	N 69-35 E	50.14
34-35	N 69-33 E	18.22
35-36	N 69-33 E	39.78
36-37	N 69-32 E	23.72
37-38	N 69-33 E	36.13
38-39	N 69-33 E	24.79
39-40	N 71-37 E	28.26
40-41	N 68-14 E	44.48
41-42	N 69-32 E	61.28
42-43	N 69-34 E	14.98
43-44	N 69-33 E	32.49
44-45	N 69-33 E	46.44
45-46	N 69-38 E	14.81
46-47	N 23-22 E	7.29
47-48	N 42-21 E	26.46
48-49	N 42-21 E	28.00
49-50	N 45-47 E	34.80
50-51	N 57-08 E	41.93
51-52	S 73-48 E	28.00
52-53	S-73-48 E	26.67
53-54	N 86-50 E	30.79
54-55	N 86-50 E	28.00
55-56	S 89-47 E	28.00
56-57	S 89-47 E	40.99
57-58	S 89-47 E	28.00
58-59	S 67-50 E	36.17
59-60	S 67-50 E	18.15
60-61	S 35-00 W	230.61
61-62	S 21-48 E	10.77
62-63	S 44-50 W	43.76
63-64	S 19-31 W	332.74
64-65	S 32-18 W	249.07
65-66	S 69-35 W	100.30
66-67	S 23-22 W	216.79
67-68	S 29-45 W	64.50
68-69	S 42-20 W	60.88
69-70	S 07-08 W	80.62
70-71	S 12-24 E	102.39

71-72	S 07-58 W	50.49
72-73	S 56-19 W	90.14
73-74	S 10-07 E	28.44
74-75	S 51-59 E	139.83
75-76	S 32-16 E	193.60
76-77	S 31-55 E	134.30
77-78	S 01-33 W	37.01
78-79	S 20-40 E	56.65
79-80	S 38-03 E	29.27
80-81	S 05-24 W	169.76
81-82	S 21-48 W	102.32
82-83	S 17-56 W	178.68
83-84	S 51-20 W	68.06
84-85	S 15-57 W	43.14
85-86	S 44-44 W	190.29
86-87	S 01-16 E	25.18
87-88	S 81-47 E	294.82
88-89	N 87-38 E	151.73
89-90	S 43-03 E	237.00
90-91	N 78-16 E	65.62
91-92	S 03-31 E	128.52
92-93	S 54-58 E	215.09
93-94	S 41-18 E	515.50
94-95	S 41-01 E	4,863.45
95-96	S 46-29 E	86.54
96-97	S 72-15 E	203.48
97-98	S 43-34 E	1,054.96
98-99	S 48-50 E	2,159.16
99-100	S 48-50 E	10,172.10
100-101	N 61-43 W	9,216.11
101-102	N 42-50 W	4,091.91
102-103	N 42-51 W	28.84
103-1	N 42-51 W	5,353.43

containing an area of twenty-nine million two hundred seventy-three thousand one hundred fifty-two (29,273,152) square meters.

SEC. 3. All laws, decrees, executive orders, rules and regulations contrary to or inconsistent with any provision of this Act are hereby repealed or amended accordingly.

SEC. 4. This Act shall take effect fifteen (15) days after its publication in the Official Gazette or in a newspaper of general application.

Approved,