

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City

TWENTIETH CONGRESS
First Regular Session

HOUSE BILL NO. 6319



Introduced by: Hon. Keith Micah "Atty. Mike" D.L. Tan

AN ACT

CONVERTING THE GUINAYANGAN-SUMULONG PROVINCIAL ROAD STRETCHING FROM BARANGAY POBLACION IN THE MUNICIPALITY OF GUINAYANGAN TO BARANGAY SUMULONG IN THE MUNICIPALITY OF CALAUAG, PROVINCE OF QUEZON INTO A NATIONAL ROAD AND APPROPRIATING FUNDS THEREFOR

EXPLANATORY NOTE

The Guinayangan-Sumulong Road is a provincial road situated in the Southern portion of Quezon Province. It is the only major arterial road in the area, which links the municipalities of Guinayangan and Calauag in the Province of Quezon. It is directly connected to Maharlika National Highway at Barangay Sumulong in Calauag, Quezon.

Despite its reconstruction and improvement over the years, the Guinayangan-Sumulong Road needs continuous and sustainable improvement, which is farfetched if it is merely to rely from the provincial government alone. Hence, this bill seeks to convert the road into a national road to provide funding appropriations for its rehabilitation, maintenance and improvement.

It is hoped that the conversion of the Guinayangan-Sumulong Road into a national road will greatly contribute to the economic growth and development of the municipalities of Guinayangan and Calauag, as well as the neighboring towns of Buenavista, San Narciso, San Andres and Lopez.

Moreover, the conversion will allow economically depressed barangays which are traversed along the road to have better access to transportation. Viability of trade and commerce will also be enhanced and vital government programs and services on education, health, agriculture, energy, eco-tourism and infrastructure can be delivered and administered at a faster grind. This will help alleviate the plight of residents in the area who had been living below poverty line for years.

In view of the foregoing, approval of this bill is earnestly sought.

Keith Micah "Atty. Mike" D.L. Tan
4th District, Quezon

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City

TWENTIETH CONGRESS
First Regular Session

HOUSE BILL NO. 6319

Introduced by: Hon. Keith Micah "Atty. Mike" D.L. Tan

AN ACT

CONVERTING THE GUINAYANGAN - SUMULONG PROVINCIAL ROAD STRETCHING FROM BARANGAY POBLACION IN THE MUNICIPALITY OF GUINAYANGAN TO BARANGAY SUMULONG IN THE MUNICIPALITY OF CALAUAG, PROVINCE OF QUEZON INTO A NATIONAL ROAD AND APPROPRIATING FUNDS THEREFOR

Be it enacted by the Senate and House of Representatives of the Philippines in Congress assembled:

SECTION 1. The Guinayangan - Sumulong Provincial Road stretching from Barangay Poblacion in the Municipality of Guinayangan to Barangay Sumulong in the Municipality of Calauag, Province of Quezon, as described in the technical description under the succeeding section of this Act, is hereby converted into a national road.

SEC. 2. The technical description of the road is as follows:

From the Bureau of Lands land monument no. 1 (BLLM1) of the Municipality of Guinayangan, Province of Quezon thence to a point one (1) of the road with a distance of 142.75 meters, bearing N37° 26' 38.92"W, coordinates Northing 20,000.00 – Easting 20,000.00 with the following lines, bearing and distance, to wit:

LINES	BEARINGS	DISTANCES	Curve No.	Length of Curve	Azimuth
0-1	N37° 26' 38.92"W	142.75 Meters	1	41.833 Meters	N31° 27'
07"W					
1-2	N25° 27' 35.13"W	162.12 Meters	2	40.402 Meters	N32° 03'
10"W					
2-3	N38° 38' 43.96"W	40.68 Meters	3	03.753 Meters	N39° 10'
59"W					
3-4	N39° 43' 14.57"W	110.39 Meters	4	128.107 Meters	N41° 15'
58"W					
5-6	N42° 48' 42.13"W	317.93 Meters	5	139.961 Meters	N55° 06'
30"W					
6-7	N67° 24' 17.23"W	365.00 Meters	6	106.872 Meters	N58° 34'
11"W					

7-8 27"W	N49° 44' 04.35"W	153.67 Meters	7	115.880 Meters	N59° 41'
8-9 50"W	N69° 38' 49.90"W	24.38 Meters	8	95.076 Meters	N61° 27'
9-10 10"W	N53° 16' 50.44"W	23.52 Meters	9	67.714 Meters	N56° 49'
10-11 23' 46"W	N60° 21' 29.46"W	231.43 Meters	10	64.477 Meters	N53°
11-11 36"W	N46° 26' 01.78"W	38.66 Meters	11	39.976 Meters	N52° 09'
12-12 34"W	N57° 53' 09.95"W	80.52 Meters	12	81.730 Meters	N53° 58'
13-14 32' 06"W	N50° 03' 57.26"W	100.54 Meters	13	24.470 Meters	N52°
14-15 39' 34"W	N55° 00' 14.11"W	113.19 Meters	14	56.996 Meters	N42°
15-16 00"W	N30° 18' 52.90"W	19.95 Meters	15	08.693 Meters	N30° 03'
16-17 03' 00"W	N27° 49' 27.97"W	110.07 Meters	16	15.538 Meters	N30°
17-18 52' 04"W	N32° 16' 32.96"W	289.87 Meters	17	117.994 Meters	N48°
18-19 38' 13"W	N65° 27' 35.58"W	211.00 Meters	18	05.745 Meters	N64°
19-20 49' 50"W	N63° 48' 50.83"W	117.33 Meters	19	20.439 Meters	N56°
20-21 55' 36"W	N49° 50' 49.16"W	557.16 Meters	20	180.340 Meters	N38°
21-22 21"W	N28° 00' 23.26"W	42.25 Meters	21	16.759 Meters	N25° 36'
22-23 08"W	N23° 12' 19.37"W	35.99 Meters	22	84.451 Meters	N35° 18'
23-24 27' 33"W	N47° 23' 55.76"W	84.22 Meters	23	252.786 Meters	N49°
24-25 38' 44"W	N51° 31' 10.32"W	214.65 Meters	24	105.740 Meters	N43°
25-26 52' 14"W	N35° 46' 17.96"W	84.66 Meters	25	116.045 Meters	N36°
26-27 25' 53"W	N37° 58' 10.45"W	193.19 Meters	26	100.202 Meters	N47°
27-28 00' 25"W	N56° 53' 35.03"W	161.64 Meters	27	85.771 Meters	N55°

LINES	BEARINGS	DISTANCES	Curve No.	Length of Curve	Azimuth
-------	----------	-----------	-----------	-----------------	---------

28-29	N57° 36' 17.53"W 10' 50"W	283.20 Meters	28	67.845 Meters	N63°
29-30	N52° 24' 33.15"W 45' 24"W	406.04 Meters	29	53.199 Meters	N51°
30-31	N73° 57' 07.69"W 20' 30"W	297.01 Meters	30	12.430 Meters	N31°
31-32	N29° 33' 40.72"W 36' 37"W	112.50 Meters	31	63.374 Meters	N56°
32-33	N33° 07' 19.57"W 38' 36"W	238.07 Meters	32	45.741 Meters	N69°
33-34	N80° 05' 55.22"W 54' 41"W	240.83 Meters	33	75.524 Meters	N75°
34-35	N59° 11' 17.32"W 28' 22"W	323.44 Meters	34	90.210 Meters	S77°
35-36	S87° 21' 55.88"W 26"W	180.16 Meters	35	47.607 Meters	S87° 36'
36-37	S67° 34' 48.36"W 48"W	74.91 Meters	36	66.298 Meters	N78° 22'
37-38	N72° 21' 57.23"W 43"W	43.99 Meters	37	44.004 Meters	N78° 02'
38-39	N71° 41' 47.96"W 26"W	76.29 Meters	38	22.203 Meters	S87° 28'
39-40	S66° 38' 39.61"W 47"W	25.14 Meters	39	36.499 Meters	N75° 01'
40-41	N36° 42' 13.88"W 13"W	25.91 Meters	40	08.837 Meters	N50° 46'
41-42	N64° 50' 11.96"W 44"W	21.93 Meters	41	20.438 Meters	S81° 21'
42-43	S47° 33' 40.29"W 19"W	30.18 Meters	42	11.027 Meters	S64° 56'
43-44	S82° 18' 57.81"W 26"W	10.79 Meters	43	13.557 Meters	N72° 34'
44-45	N47° 27' 50.03"W 08' 10"W	109.92 Meters	44	07.939 Meters	N60°
45-46	N72° 48' 30.60"W 12"W	37.62 Meters	45	23.534 Meters	N66° 21'
46-47	N59° 53' 53.14"W 34"W	29.86 Meters	46	49.729 Meters	S88° 15'
47-48	S56° 25' 00.23"W 12"W	109.91 Meters	47	50.314 Meters	S78° 00'
48-49	N80° 24' 35.82"W 44"W	135.69 Meters	48	67.995 Meters	S72° 31'
49-50	S45° 28' 04.61"W 01' 37"W	153.57 Meters	49	63.050 Meters	S69°
50-51	N87° 24' 51.43"W 33' 31"W	259.88 Meters	50	47.540 Meters	S76°

51-52 44' 28"W	S60° 31' 53.54"W	158.21 Meters	51	69.906 Meters	S86°
52-53 34' 56"W	N67° 02' 58.42"W	138.89 Meters	52	40.579 Meters	N83°
53-54 30' 46"W	S79° 53' 06.40"W	46.45 Meters	53	144.269 Meters	S84°
54-56 10' 26"W	S89° 08' 26.27"W	41.91 Meters	54	41.592 Meters	S69°
55-56 49' 28"W	S49° 12' 26.38"W	50.80 Meters	55	29.748 Meters	S76°
56-57 40' 02"W	N75° 33' 30.43"W	29.82 Meters	56	04.031 Meters	N81°
57-58 51' 16"W	N87° 46' 34.27"W	21.83 Meters	57	13.402 Meters	S53°
58-59 15' 06"W	S15° 29' 06.51"W	22.49 Meters	58	63.695 Meters	S33°
59-60 39' 07"W	S51° 01' 04.78"W	03.96 Meters	59	30.825 Meters	S38°
60-61 50' 07"W	S51° 01' 04.78"W	25.06 Meters	60	58.837 Meters	S52°
61-62 05' 52"W	S26° 17' 09.24"W	39.76 Meters	61	46.503 Meters	N85°
62-63 10' 35"W	S79° 23' 04.48"W	144.14 Meters	62	61.192 Meters	S81°
63-64 10' 35"W	N69° 34' 47.61"W	147.09 Meters	63	49.748 Meters	S81°
64-65 10' 53"W	S71° 51' 59.15"W	52.86 Meters	64	50.141 Meters	N85°
65-66 10' 53"W	N89° 30' 49.12"W	79.27 Meters	65	56.955 Meters	N85°
66-67 26' 54"W	S52° 57' 40.03"W	38.61 Meters	66	65.768 Meters	N63°
67-68 55' 14"W	N43° 19' 25.12"W	97.31 Meters	67	51.838 Meters	S16°
68-69 55' 14"W	N83° 34' 23.08"W	57.21 Meters	68	82.273 Meters	S16°
69-70 16' 49"E	S53° 54' 41.94"W	113.99 Meters	69	25.790 Meters	S42°
70-71 26' 31"E	S20° 04' 13.11"E	79.80 Meters	70	10.968 Meters	S36°
71-72 30"W	S64° 29' 25.14"E	25.71 Meters	71	13.292 Meters	S33° 51'
72-73 40"W	S08° 23' 37.13"E	32.96 Meters	72	111.536 Meters	S76° 56'
73-74 14' 29"W	S76° 06' 37.47"W	84.51 Meters	73	51.185 Meters	S75°

74-75	S72° 42' 15.76"W	109.65 Meters	74	56.339 Meters	S52°
21' 40"W					
75-76	S32° 01' 04.23"W	107.17 Meters	75	12.036 Meters	S49°
52' 43"W					
76-77	S67° 44' 20.79"W	49.23 Meters	76	09.160 Meters	S72°
06' 30"W					
77-78	S76° 28' 39.68"W	25.02 Meters	77	53.938 Meters	S45°
29' 52"W					
78-79	S14° 31' 04.31"W	42.34 Meters	78	67.508 Meters	S60°
14' 53"W					
79-80	N74° 01' 19.03"W	56.75 Meters	79	51.439 Meters	S61°
21' 53"W					
80-81	S16° 45' 04.58"W	255.15 Meters	80	61.580 Meters	S64°
13' 18"W					
81-82	N68° 18' 29.06"W	51.56 Meters	81	56.057 Meters	S78°
34' 24"W					
82-83	S45° 27' 18.06"W	03.17 Meters	82	28.083 Meters	S9° 49'
28"W					
83-84	S25° 48' 21.78"E	62.63 Meters	83	21.840 Meters	S4° 14'
16"E					
84-85	S17° 19' 49.01"W	10.47 Meters	84	01.930 Meters	S45°
00' 41"W					

LINES	BEARINGS	DISTANCES	Curve No.	Length of Curve	Azimuth
85-86	S72° 41' 32.80"W	16.09 Meters	85	14.611 Meters	N73°
44' 19"W					
86-87	N40° 10' 10.87"W	96.22 Meters	86	12.777 Meters	N72°
39' 32"W					
87-88	S74° 51' 07.37"W	15.22 Meters	87	14.306 Meters	S53°
40' 12"W					
88-89	S32° 29' 17.29"W	160.38 Meters	88	45.424 Meters	S14°
34' 19"W					
89-90	S3° 20' 39.62"E	44.82 Meters	89	34.191 Meters	S43° 03'
08"W					
90-91	S89° 26' 54.65"W	28.17 Meters	90	45.055 Meters	S48°
33' 18"W					
91-92	S07° 39' 40.87"W	78.75 Meters	91	11.947 Meters	S36°
47' 25"W					
92-93	S65° 55' 09.52"W	12.57 Meters	92	14.576 Meters	N81°
59' 43"W					
93-94	N49° 54' 35.09"W	59.06 Meters	93	80.546 Meters	N82°
39' 03"W					
94-95	S64° 36' 28.81"W	119.64 Meters	94	55.860 Meters	S32°
13' 57"W					

95-96	S0° 08' 34.52"E	225.11 Meters	95	72.692 Meters	S5° 47'
03"W					
96-97	S11° 42' 39.86"W	278.18 Meters	96	82.930 Meters	S55°
45' 45"W					
97-98	N80° 11' 09.32"W	62.25 Meters	97	40.649 Meters	N67°
27' 39"W					
98-99	N54° 44' 08.01"W	262.37 Meters	98	40.820 Meters	N38°
51' 40"W					
99-100	N22° 59' 11.90"W	25.70 Meters	99	57.875 Meters	N35°
35' 33"W					
100-101	N48° 11' 53.21"W	35.86 Meters	100	38.317 Meters	N62°
45' 45"W					
101-102	N77° 19' 36.51"W	49.71 Meters	101	25.804 Meters	S85°
22' 27"W					
102-103	S68° 04' 29.85"W	40.31 Meters	102	12.361 Meters	N88°
34' 59"W					
103-104	N65° 14' 26.99"W	707.01 Meters	103	144.308 Meters	N45°
13' 53"W					
104-105	N25° 13' 18.79"W	738.11 Meters	104	74.561 Meters	N31°
35' 35"W					
105-106	N37° 57' 50.83"W	256.79 Meters	105	76.090 Meters	N42°
53' 02"W					
106-107	N47° 48' 13.62"W	314.07 Meters	106	48.934 Meters	N45°
55' 10"W					
107-108	N44° 02' 06.41"W	267.05 Meters	107	51.596 Meters	N62°
43' 42"W					
108-109	N81° 25' 17.60"W	18.04 Meters			

Total Length = 19,440.00 Meters

SEC. 3. The Secretary of Public Works and Highways shall include in the Department's program the improvement, repair and maintenance of the roads, the funding of which shall be included in the annual General Appropriations Act.

SEC. 4. This Act shall take effect fifteen (15) days after its publication in the *Official Gazette* or in a newspaper of general circulation.

Approved,