



Republic of the Philippines
HOUSE OF REPRESENTATIVES
Constitution Hills, Quezon City



TWENTIETH CONGRESS
First Regular Session

HOUSE BILL No. 9031

Introduced by **REPRESENTATIVE ROSALIE “MOMMY ROSE” ANG**
SALVAME

EXPLANATORY NOTE

The First District of Palawan, is endowed with extensive tracts of land that remain underutilized despite their potential to contribute to the overall socio-economic development of the region. At present, certain parcels of land are classified as timberland and restricts their disposition and productive use, thereby limiting opportunities for agriculture, commerce, housing, industry, and other livelihood activities.

This legislative measure seeks to declare specific parcels of land within the First District of Palawan as agricultural land, thereby authorizing their disposition for agricultural, commercial, residential, industrial, and other productive purposes. The reclassification and opening of these lands to disposition shall serve the following objectives:

- Enhance agricultural productivity and strengthen food security in the province;
- Encourage commercial and industrial investments that will generate employment and stimulate local enterprise;
- Provide adequate areas for residential expansion to meet the demands of a growing population;
- Promote balanced regional development through the optimal utilization of land resources.


The enactment of this bill will unlock the economic potential of the First District of Palawan's land assets, foster inclusive growth, and uplift the living standards of its residents. It is consistent with the constitutional mandate to promote equitable access to land and to ensure that land resources are utilized in a manner that benefits the greatest number of people.

Herewith is the summary of Non-Conforming Blocks or those areas assessed as not consistent with their present legal classification as forestland; e.g. forestlands suitable or utilized as agricultural, settlements/built-up, etc. within the 1st District of Palawan:

BLOCK NUMBER	LOCATION OF BLOCK	LOCATION OF PRS CONTROL MONUMENT
I	BUSUANGA	BUSUANGA
II	BUSUANGA	BUSUANGA
III	CORON	BUSUANGA
IV	CORON	BUSUANGA
V	CULION	CULION
VI	CULION	CULION
VII	EL NIDO	EL NIDO
VIII	EL NIDO	EL NIDO
IX	EL NIDO	EL NIDO
X	EL NIDO	EL NIDO
XI	TAYTAY	TAYTAY
XII	TAYTAY	TAYTAY
XIII	TAYTAY	TAYTAY
XIV	TAYTAY	TAYTAY
XV	DUMARAN	TAYTAY
XVI	DUMARAN	TAYTAY
XVII	DUMARAN	TAYTAY
XVIII	ARACELI	TAYTAY
XIX	ARACELI	TAYTAY
XX	ARACELI	TAYTAY
XXI	SAN VICENTE	SAN VICENTE
XXIII	SAN VICENTE	SAN VICENTE
XXIV	SAN VICENTE	SAN VICENTE
XXVI	ROXAS	ROXAS

This bill contains the corresponding Technical Descriptions of the areas categorized as non-conforming blocks as a result of Forest Land Boundary Delineation within the 1st District of Palawan.

In view of the foregoing, the immediate passage of this measure is earnestly sought.


HON. ROSALIE ANG SALVAME



Republic of the Philippines
HOUSE OF REPRESENTATIVES
Constitution Hills, Quezon City

TWENTIETH CONGRESS
First Regular Session

HOUSE BILL NO. 9031

Introduced by **REPRESENTATIVE ROSALIE “MOMMY ROSE” ANG SALVAME**

AN ACT
DECLARING CERTAIN PARCELS OF LAND OF THE PUBLIC DOMAIN
LOCATED IN THE MUNICIPALITIES OF BUSUANGA, CORON, CULION, EL
NIDO, TAYTAY, DUMARAN, ARACELI, SAN VICENTE AND ROXAS IN THE
FIRST DISTRICT OF THE PROVINCE OF PALAWAN, AS AGRICULTURAL
LAND, RESIDENTIAL, INDUSTRIAL AND OTHER PRODUCTIVE PURPOSES

Be it enacted by the Senate and the House of Representatives of the Philippines in Congress assembled:

SECTION 1. Certain parcels of land of the public domain located in the following Municipalities in the First District of Palawan:

Busuanga
Coron
Culion
El Nido
Taytay
Dumaran
Araceli
San Vicente
Roxas

are hereby declared as agricultural land open to disposition for agricultural, commercial, residential, industrial, and other productive purposes.

SECTION 2. The said parcels of land are more particularly described as follows :

BLOCK – I

Beginning at a point marked 1 on Forestland Boundary Map, being N 31-15-50 W meters from PLW-2 (*PRS -92 Control Point: Latitude 12-08-00.68235, Longitude 119-56-02.34688*) Brgy. Town Proper, Municipality of Busuanga, Province of Palawan

thence	N 31-54-03 W	314.45	meters to corner	2 ;
thence	N 58-54-10 E	792.33	meters to corner	3 ;
thence	N 65-13-29 E	616.77	meters to corner	4 ;
thence	N 62-31-32 E	606.91	meters to corner	5 ;
thence	S 02-17-26 E	269.45	meters to corner	6 ;
thence	S 09-21-06 E	287.44	meters to corner	7 ;
thence	S 76-36-51 W	379.28	meters to corner	8 ;
thence	S 67-50-48 W	596.90	meters to corner	9 ;
thence	S 77-41-31 W	321.99	meters to corner	10 ;
thence	S 72-38-46 W	287.64	meters to corner	11 ;
thence	S 38-58-00 W	250.12	meters to corner	1 ;

the point of the beginning, covering a total area of 71.410 hectares, more or less.

BLOCK - II

Beginning at a point marked 1 on Forestland Boundary Map, being N 30-05-51 W, 5005.382 meters from PLW-2 (*PRS -92 Control Point: Latitude 12-08-00.68235, Longitude 119-56-02.34688*) Brgy. Town Proper, Municipality of Busuanga, Province of Palawan:

thence	N 08-25-30 E	307.94	meters to corner	2 ;
thence	N 06-46-16 W	381.66	meters to corner	3 ;
thence	N 06-22-25 W	189.17	meters to corner	4 ;
thence	N 44-39-20 E	352.85	meters to corner	5 ;
thence	N 08-49-13 E	293.47	meters to corner	6 ;
thence	N 29-59-38 W	314.06	meters to corner	7 ;
thence	N 25-11-41 W	467.47	meters to corner	8 ;

thence	N 15-28-03 W	378.72	meters to corner	9 ;
thence	N 58-35-04 E	195.69	meters to corner	10 ;
thence	N 24-19-58 E	298.52	meters to corner	11 ;
thence	N 69-17-03 E	294.01	meters to corner	12 ;
thence	N 71-53-20 E	279.87	meters to corner	13 ;
thence	N 34-24-05 E	242.88	meters to corner	14 ;
thence	S 23-42-00 E	213.40	meters to corner	15 ;
thence	S 17-18-31 W	225.20	meters to corner	16 ;
thence	S 27-06-18 W	379.70	meters to corner	17 ;
thence	S 20-55-10 E	313.68	meters to corner	18 ;
thence	S 22-50-01 W	268.00	meters to corner	19 ;
thence	S 01-57-41 W	146.09	meters to corner	20 ;
thence	S 05-34-52 W	308.46	meters to corner	21 ;
thence	S 00-00-00 W	348.00	meters to corner	22 ;
thence	S 20-05-15 W	515.35	meters to corner	23 ;
thence	S 00-56-31 E	329.79	meters to corner	24 ;
thence	S 17-58-09 W	348.89	meters to corner	25 ;
thence	S 89-28-10 W	322.92	meters to corner	1 ;

the point of the beginning, covering a total area of 162.41 hectares, more or less.

BLOCK - III

Beginning at a point marked 1 on Forestland Boundary Map, being S 64-02-40 E, 32466.37 meters from PLW-2 (***PRS -92 Control Point: Latitude 12-08-00.68235, Longitude 119-56-02.34688***) Brgy. Town Proper, Municipality of Busuanga, Province of Palawan:

thence	N 27-28-00 E	42.24	meters to corner	2 ;
thence	N 10-05-00 W	248.68	meters to corner	3 ;
thence	S 63-25-00 W	81.02	meters to corner	4 ;
thence	S 11-39-00 E	214.96	meters to corner	5 ;
thence	S 22-24-00 E	55.51	meters to corner	6 ;

thence	N 29-24-00 W	41.70	meters to corner	7 ;
thence	N 15-32-00 W	209.79	meters to corner	8 ;
thence	S 38-38-00 W	167.66	meters to corner	9 ;
thence	N 45-20-00 W	280.20	meters to corner	10 ;
thence	S 59-33-00 W	36.99	meters to corner	11 ;
thence	S 11-53-00 E	83.29	meters to corner	12 ;
thence	S 28-24-00 W	184.02	meters to corner	13 ;
thence	S 28-24-00 W	28.48	meters to corner	14 ;
thence	S 85-14-11 W	116.59	meters to corner	15 ;
thence	S 83-06-09 W	124.90	meters to corner	16 ;
thence	N 50-43-22 W	333.29	meters to corner	17 ;
thence	N 40-54-52 W	377.14	meters to corner	18 ;
thence	N 29-31-34 W	259.73	meters to corner	19 ;
thence	S 82-50-47 W	248.94	meters to corner	20 ;
thence	N 20-01-26 E	239.48	meters to corner	21 ;
thence	N 16-01-04 W	217.44	meters to corner	22 ;
thence	N 31-53-01 W	149.57	meters to corner	23 ;
thence	N 63-42-26 W	282.20	meters to corner	24 ;
thence	N 87-15-49 W	272.31	meters to corner	25 ;
thence	N 06-22-38 W	171.06	meters to corner	26 ;
thence	S 66-53-53 W	310.93	meters to corner	27 ;
thence	N 18-26-06 W	275.12	meters to corner	28 ;
thence	N 88-43-28 E	494.12	meters to corner	29 ;
thence	N 33-15-16 W	218.84	meters to corner	30 ;
thence	N 17-32-48 E	407.98	meters to corner	31 ;
thence	N 40-36-49 W	499.27	meters to corner	32 ;
thence	N 78-20-10 W	380.87	meters to corner	33 ;
thence	N 53-58-43 W	688.68	meters to corner	34 ;

thence	N 00-20-43 E	166.00	meters to corner	35 ;
thence	N 48-19-42 E	395.47	meters to corner	36 ;
thence	N 06-45-56 E	195.99	meters to corner	37 ;
thence	N 06-45-56 E	246.23	meters to corner	38 ;
thence	N 57-58-36 E	307.26	meters to corner	39 ;
thence	S 74-25-39 E	253.30	meters to corner	40 ;
thence	N 73-58-24 E	487.27	meters to corner	41 ;
thence	N 23-33-06 E	357.99	meters to corner	42 ;
thence	N 51-30-08 E	206.01	meters to corner	43 ;
thence	N 49-34-26 E	234.61	meters to corner	44 ;
thence	N 41-42-55 W	135.98	meters to corner	45 ;
thence	S 63-58-58 W	145.37	meters to corner	46 ;
thence	S 76-03-59 W	222.63	meters to corner	47 ;
thence	N 64-40-33 W	0.03	meters to corner	48 ;
thence	S 76-19-09 W	0.02	meters to corner	49 ;
thence	N 64-41-17 W	194.23	meters to corner	50 ;
thence	N 64-43-49 W	0.04	meters to corner	51 ;
thence	S 38-44-00 W	219.70	meters to corner	52 ;
thence	S 84-48-05 W	315.69	meters to corner	53 ;
thence	S 78-57-51 W	319.58	meters to corner	54 ;
thence	S 53-25-13 W	306.08	meters to corner	55 ;
thence	S 53-25-13 W	13.81	meters to corner	56 ;
thence	S 84-20-00 W	298.97	meters to corner	57 ;
thence	S 23-34-36 W	221.54	meters to corner	58 ;
thence	S 06-28-08 W	297.79	meters to corner	59 ;
thence	S 72-13-36 W	123.09	meters to corner	60 ;
thence	N 23-43-55 W	94.17	meters to corner	61 ;
thence	N 59-30-07 W	135.15	meters to corner	62 ;

thence	N 54-59-56 W	202.00	meters to corner	63 ;
thence	N 56-41-45 W	358.45	meters to corner	64 ;
thence	S 73-07-11 W	369.37	meters to corner	65 ;
thence	S 66-15-24 W	172.27	meters to corner	66 ;
thence	S 44-19-24 W	139.23	meters to corner	67 ;
thence	S 21-25-55 W	221.03	meters to corner	68 ;
thence	N 56-30-21 W	250.21	meters to corner	69 ;
thence	N 29-31-24 W	436.04	meters to corner	70 ;
thence	S 85-47-17 W	311.45	meters to corner	71 ;
thence	S 73-40-43 W	180.49	meters to corner	72 ;
thence	S 73-40-43 W	90.68	meters to corner	73 ;
thence	N 71-34-51 W	201.86	meters to corner	74 ;
thence	N 37-33-27 W	304.09	meters to corner	75 ;
thence	S 31-27-40 W	162.87	meters to corner	76 ;
thence	N 76-05-56 W	198.97	meters to corner	77 ;
thence	S 72-21-27 W	248.14	meters to corner	78 ;
thence	S 02-17-12 W	291.63	meters to corner	79 ;
thence	S 17-08-39 E	292.24	meters to corner	80 ;
thence	N 64-46-49 W	276.00	meters to corner	81 ;
thence	N 33-02-11 W	383.60	meters to corner	82 ;
thence	N 85-27-13 W	257.38	meters to corner	83 ;
thence	S 21-10-33 W	3.00	meters to corner	84 ;
thence	S 21-10-31 W	387.63	meters to corner	85 ;
thence	S 27-32-03 W	311.57	meters to corner	86 ;
thence	S 08-45-25 E	336.96	meters to corner	87 ;
thence	S 43-13-47 W	312.63	meters to corner	88 ;
thence	S 07-01-01 W	149.84	meters to corner	89 ;
thence	N 23-52-31 W	294.05	meters to corner	90 ;

thence	N 59-47-04 W	297.03	meters to corner	91 ;
thence	S 64-16-02 W	145.15	meters to corner	92 ;
thence	S 38-25-42 W	350.90	meters to corner	93 ;
thence	S 07-05-44 E	292.29	meters to corner	94 ;
thence	S 02-20-50 E	483.48	meters to corner	95 ;
thence	S 15-08-38 W	257.92	meters to corner	96 ;
thence	N 75-29-00 W	0.01	meters to corner	97 ;
thence	N 40-32-40 W	0.03	meters to corner	98 ;
thence	N 75-18-18 W	173.48	meters to corner	99 ;
thence	N 39-54-39 W	305.15	meters to corner	100 ;
thence	S 85-36-05 W	0.004	meters to corner	101 ;
thence	S 85-03-27 W	246.76	meters to corner	102 ;
thence	N 40-24-08 W	0.04	meters to corner	103 ;
thence	N 40-20-42 W	327.48	meters to corner	104 ;
thence	N 18-03-38 W	306.27	meters to corner	105 ;
thence	N 12-31-44 W	219.54	meters to corner	106 ;
thence	N 21-48-05 W	213.72	meters to corner	107 ;
thence	N 21-26-33 W	327.36	meters to corner	108 ;
thence	S 78-18-38 W	313.42	meters to corner	109 ;
thence	N 66-34-17 W	323.31	meters to corner	110 ;
thence	N 34-21-24 W	169.84	meters to corner	111 ;
thence	N 29-41-57 W	0.09	meters to corner	112 ;
thence	N 23-04-29 E	244.03	meters to corner	113 ;
thence	N 62-42-48 E	489.20	meters to corner	114 ;
thence	S 23-55-16 E	1.62	meters to corner	115 ;
thence	S 23-55-21 E	522.95	meters to corner	116 ;
thence	S 23-55-21 E	2.20	meters to corner	117 ;
thence	N 76-07-49 E	0.02	meters to corner	118 ;

thence	S 24-25-33 E	0.03	meters to corner	119 ;
thence	N 76-04-02 E	164.03	meters to corner	120 ;
thence	N 75-57-50 E	0.01	meters to corner	121 ;
thence	S 47-51-57 E	349.60	meters to corner	122 ;
thence	S 48-00-46 E	0.02	meters to corner	123 ;
thence	S 72-50-00 E	338.37	meters to corner	124 ;
thence	N 24-05-55 E	381.41	meters to corner	125 ;
thence	S 89-31-00 E	290.74	meters to corner	126 ;
thence	S 66-48-30 E	212.80	meters to corner	127 ;
thence	S 66-54-54 E	0.01	meters to corner	128 ;
thence	S 38-43-49 E	314.76	meters to corner	129 ;
thence	S 81-22-27 E	204.06	meters to corner	130 ;
thence	N 21-07-56 W	433.46	meters to corner	131 ;
thence	N 28-16-38 W	267.74	meters to corner	132 ;
thence	N 32-27-39 W	442.04	meters to corner	133 ;
thence	N 32-40-50 W	0.01	meters to corner	134 ;
thence	N 74-38-32 W	248.40	meters to corner	135 ;
thence	N 11-41-26 W	81.56	meters to corner	136 ;
thence	N 11-41-26 W	150.32	meters to corner	137 ;
thence	N 31-19-19 W	285.47	meters to corner	138 ;
thence	N 20-16-45 W	214.77	meters to corner	139 ;
thence	N 28-11-04 E	360.56	meters to corner	140 ;
thence	S 32-20-51 E	469.78	meters to corner	141 ;
thence	N 59-15-20 E	203.70	meters to corner	142 ;
thence	S 24-21-16 E	384.94	meters to corner	143 ;
thence	S 39-09-53 E	275.09	meters to corner	144 ;
thence	S 39-00-09 E	0.02	meters to corner	145 ;
thence	S 72-29-01 E	379.22	meters to corner	146 ;

thence	S 72-27-45 E	0.02	meters to corner	147 ;
thence	N 55-44-21 E	442.51	meters to corner	148 ;
thence	S 76-47-17 E	356.38	meters to corner	149 ;
thence	N 61-14-52 E	193.72	meters to corner	150 ;
thence	N 13-20-53 W	288.39	meters to corner	151 ;
thence	N 45-50-04 W	219.99	meters to corner	152 ;
thence	N 12-06-32 E	268.33	meters to corner	153 ;
thence	S 50-38-03 E	342.60	meters to corner	154 ;
thence	S 09-49-48 E	308.52	meters to corner	155 ;
thence	S 51-23-08 E	0.02	meters to corner	156 ;
thence	S 50-07-55 E	250.93	meters to corner	157 ;
thence	S 50-28-02 E	0.02	meters to corner	158 ;
thence	N 10-35-18 W	369.99	meters to corner	159 ;
thence	N 30-02-22 E	179.09	meters to corner	160 ;
thence	S 38-43-36 E	512.94	meters to corner	161 ;
thence	S 88-46-05 E	0.01	meters to corner	162 ;
thence	S 38-57-21 E	0.01	meters to corner	163 ;
thence	S 89-02-12 E	310.31	meters to corner	164 ;
thence	S 82-03-52 E	206.71	meters to corner	165 ;
thence	N 34-14-23 E	149.88	meters to corner	166 ;
thence	N 19-23-36 E	221.27	meters to corner	167 ;
thence	N 42-58-28 E	293.32	meters to corner	168 ;
thence	N 42-54-57 E	310.11	meters to corner	169 ;
thence	N 33-59-22 W	317.32	meters to corner	170 ;
thence	N 04-41-17 W	318.34	meters to corner	171 ;
thence	N 14-31-58 W	221.36	meters to corner	172 ;
thence	N 51-52-31 E	254.21	meters to corner	173 ;
thence	S 72-24-06 E	275.34	meters to corner	174 ;

thence	S 82-05-33 E	199.56	meters to corner	175 ;
thence	S 65-58-38 E	253.02	meters to corner	176 ;
thence	S 34-24-03 W	359.80	meters to corner	177 ;
thence	N 50-33-11 W	0.02	meters to corner	178 ;
thence	S 34-27-07 W	0.01	meters to corner	179 ;
thence	N 50-39-11 W	175.77	meters to corner	180 ;
thence	S 60-59-13 W	136.45	meters to corner	181 ;
thence	S 06-01-05 E	382.64	meters to corner	182 ;
thence	S 04-27-23 W	255.48	meters to corner	183 ;
thence	S 09-05-36 E	211.41	meters to corner	184 ;
thence	S 68-52-24 E	128.70	meters to corner	185 ;
thence	S 68-50-19 E	0.03	meters to corner	186 ;
thence	S 08-43-58 W	174.06	meters to corner	187 ;
thence	S 08-43-58 W	131.65	meters to corner	188 ;
thence	S 28-34-06 W	370.10	meters to corner	189 ;
thence	S 42-22-18 E	240.33	meters to corner	190 ;
thence	S 84-42-08 E	210.41	meters to corner	191 ;
thence	S 84-37-24 E	0.02	meters to corner	192 ;
thence	N 62-36-28 E	120.34	meters to corner	193 ;
thence	N 87-11-10 E	148.98	meters to corner	194 ;
thence	N 87-02-49 E	0.03	meters to corner	195 ;
thence	S 63-32-18 E	111.95	meters to corner	196 ;
thence	S 63-50-36 E	0.02	meters to corner	197 ;
thence	N 51-04-41 E	243.89	meters to corner	198 ;
thence	N 48-19-32 E	341.02	meters to corner	199 ;
thence	N 00-17-41 E	200.98	meters to corner	200 ;
thence	N 29-42-37 E	97.71	meters to corner	201 ;
thence	N 29-42-37 E	60.60	meters to corner	202 ;

thence	N 51-37-46 E	251.95	meters to corner	203 ;
thence	N 51-33-41 E	197.65	meters to corner	204 ;
thence	N 68-45-47 E	190.67	meters to corner	205 ;
thence	N 66-18-12 E	270.24	meters to corner	206 ;
thence	N 35-50-19 E	279.10	meters to corner	207 ;
thence	N 56-16-28 E	283.18	meters to corner	208 ;
thence	S 40-34-09 E	143.23	meters to corner	209 ;
thence	S 40-34-09 E	288.38	meters to corner	210 ;
thence	N 32-08-31 E	0.01	meters to corner	211 ;
thence	S 40-29-10 E	0.03	meters to corner	212 ;
thence	N 32-30-12 E	471.65	meters to corner	213 ;
thence	N 84-49-37 E	181.59	meters to corner	214 ;
thence	N 84-45-52 E	0.03	meters to corner	215 ;
thence	S 47-53-27 E	268.88	meters to corner	216 ;
thence	S 28-40-38 W	206.77	meters to corner	217 ;
thence	S 17-00-19 E	190.06	meters to corner	218 ;
thence	S 17-00-19 E	29.97	meters to corner	219 ;
thence	S 46-15-14 E	222.70	meters to corner	220 ;
thence	S 03-58-48 E	228.32	meters to corner	221 ;
thence	S 32-57-48 E	168.09	meters to corner	222 ;
thence	S 29-21-28 E	116.57	meters to corner	223 ;
thence	S 34-39-15 E	79.81	meters to corner	224 ;
thence	S 63-18-15 W	244.92	meters to corner	225 ;
thence	S 45-36-52 W	148.28	meters to corner	226 ;
thence	S 51-00-32 W	171.57	meters to corner	227 ;
thence	S 08-41-20 W	240.79	meters to corner	228 ;
thence	S 42-30-47 W	183.36	meters to corner	229 ;
thence	S 70-22-31 W	401.51	meters to corner	230 ;

thence	S 09-57-08 W	227.59	meters to corner	231 ;
thence	S 42-29-22 E	279.97	meters to corner	232 ;
thence	S 11-28-19 W	346.93	meters to corner	233 ;
thence	S 43-01-30 E	148.15	meters to corner	234 ;
thence	S 43-01-30 E	241.70	meters to corner	235 ;
thence	S 06-29-27 E	0.03	meters to corner	236 ;
thence	S 06-31-28 E	134.13	meters to corner	237 ;
thence	S 06-23-15 E	209.09	meters to corner	238 ;
thence	S 39-24-29 E	273.20	meters to corner	239 ;
thence	S 47-58-23 E	363.13	meters to corner	240 ;
thence	S 60-34-43 E	168.64	meters to corner	241 ;
thence	S 27-40-58 E	131.66	meters to corner	242 ;
thence	S 27-40-58 E	61.18	meters to corner	243 ;
thence	N 57-11-29 E	147.19	meters to corner	244 ;
thence	N 57-01-45 E	86.79	meters to corner	245 ;
thence	N 04-20-25 W	331.84	meters to corner	246 ;
thence	N 04-20-25 W	20.79	meters to corner	247 ;
thence	S 76-34-27 E	0.02	meters to corner	248 ;
thence	N 04-23-39 W	0.29	meters to corner	249 ;
thence	S 76-11-06 E	112.35	meters to corner	250 ;
thence	S 76-11-06 E	47.47	meters to corner	251 ;
thence	S 76-11-06 E	154.26	meters to corner	252 ;
thence	N 38-31-01 E	125.03	meters to corner	253 ;
thence	S 28-13-50 E	83.99	meters to corner	254 ;
thence	S 28-13-50 E	100.47	meters to corner	255 ;
thence	N 20-24-36 E	151.77	meters to corner	256 ;
thence	N 20-24-36 E	123.19	meters to corner	257 ;
thence	N 51-40-28 W	267.08	meters to corner	258 ;

thence	N 51-40-25 W	0.61	meters to corner	259 ;
thence	S 86-11-09 E	420.93	meters to corner	260 ;
thence	N 48-55-33 E	128.89	meters to corner	261 ;
thence	N 48-55-33 E	160.29	meters to corner	262 ;
thence	N 41-59-14 E	215.26	meters to corner	263 ;
thence	N 04-55-51 E	223.46	meters to corner	264 ;
thence	N 04-48-58 E	20.42	meters to corner	265 ;
thence	N 04-48-56 E	11.61	meters to corner	266 ;
thence	N 81-44-06 E	0.07	meters to corner	267 ;
thence	N 04-55-53 E	0.45	meters to corner	268 ;
thence	N 81-41-33 E	228.40	meters to corner	269 ;
thence	N 04-27-09 E	227.55	meters to corner	270 ;
thence	N 04-27-09 E	17.19	meters to corner	271 ;
thence	N 22-42-18 E	259.08	meters to corner	272 ;
thence	N 39-54-51 E	0.24	meters to corner	273 ;
thence	S 53-48-06 E	270.91	meters to corner	274 ;
thence	S 39-31-50 W	228.71	meters to corner	275 ;
thence	S 11-22-53 W	94.67	meters to corner	276 ;
thence	S 11-14-04 W	202.86	meters to corner	277 ;
thence	S 50-08-17 E	260.56	meters to corner	278 ;
thence	N 76-23-13 E	194.51	meters to corner	279 ;
thence	N 76-15-14 E	166.38	meters to corner	280 ;
thence	S 04-25-44 W	0.41	meters to corner	281 ;
thence	N 76-23-16 E	0.38	meters to corner	282 ;
thence	S 04-40-50 W	81.37	meters to corner	283 ;
thence	S 04-25-33 W	90.25	meters to corner	284 ;
thence	S 80-14-30 W	236.69	meters to corner	285 ;
thence	S 52-27-21 W	292.67	meters to corner	286 ;

thence	S 52-27-21 W	25.06	meters to corner	287 ;
thence	S 28-25-58 E	0.02	meters to corner	288 ;
thence	S 52-24-53 W	0.27	meters to corner	289 ;
thence	S 28-14-44 E	283.52	meters to corner	290 ;
thence	S 28-14-43 E	67.25	meters to corner	291 ;
thence	S 38-51-24 E	62.14	meters to corner	292 ;
thence	S 38-57-40 E	301.17	meters to corner	293 ;
thence	S 02-17-17 E	275.54	meters to corner	294 ;
thence	S 02-17-18 E	0.61	meters to corner	295 ;
thence	N 73-56-10 E	250.41	meters to corner	296 ;
thence	S 80-39-47 E	326.68	meters to corner	297 ;
thence	N 36-37-27 E	182.23	meters to corner	298 ;
thence	N 64-29-35 E	54.97	meters to corner	299 ;
thence	N 64-37-33 E	114.17	meters to corner	300 ;
thence	S 49-42-28 E	183.82	meters to corner	301 ;
thence	N 74-44-41 E	54.25	meters to corner	302 ;
thence	N 74-44-41 E	119.52	meters to corner	303 ;
thence	S 35-54-13 E	75.53	meters to corner	304 ;
thence	S 35-56-14 E	158.46	meters to corner	305 ;
thence	S 14-11-20 E	273.15	meters to corner	306 ;
thence	S 53-24-37 E	283.28	meters to corner	307 ;
thence	S 84-40-05 E	48.18	meters to corner	308 ;
thence	S 85-06-03 E	56.84	meters to corner	309 ;
thence	N 49-55-56 E	58.49	meters to corner	310 ;
thence	N 49-50-04 E	221.30	meters to corner	311 ;
thence	S 36-59-47 E	255.15	meters to corner	312 ;
thence	S 30-24-04 E	104.57	meters to corner	313 ;
thence	S 30-24-04 E	182.66	meters to corner	314 ;

thence	S 60-54-11 W	131.19	meters to corner	315 ;
thence	S 60-53-33 W	0.15	meters to corner	316 ;
thence	S 86-44-02 W	368.60	meters to corner	317 ;
thence	S 82-48-36 W	165.16	meters to corner	318 ;
thence	S 82-48-36 W	162.42	meters to corner	319 ;
thence	S 87-28-14 W	249.24	meters to corner	320 ;
thence	S 82-19-59 W	106.18	meters to corner	321 ;
thence	S 82-20-00 W	156.17	meters to corner	322 ;
thence	N 52-38-48 W	308.21	meters to corner	323 ;
thence	N 65-11-45 W	229.27	meters to corner	324 ;
thence	N 65-11-46 W	47.24	meters to corner	325 ;
thence	N 53-56-28 W	89.00	meters to corner	326 ;
thence	N 53-59-41 W	178.89	meters to corner	327 ;
thence	S 73-01-58 W	128.18	meters to corner	328 ;
thence	S 72-47-42 W	78.24	meters to corner	329 ;
thence	S 17-59-14 E	164.68	meters to corner	330 ;
thence	S 18-07-06 E	159.05	meters to corner	331 ;
thence	S 16-08-34 W	625.84	meters to corner	332 ;
thence	S 71-25-00 E	149.01	meters to corner	333 ;
thence	S 71-28-20 E	45.82	meters to corner	334 ;
thence	S 62-48-33 E	286.68	meters to corner	335 ;
thence	S 45-31-15 E	137.35	meters to corner	336 ;
thence	S 45-43-40 E	18.48	meters to corner	337 ;
thence	N 59-44-42 W	0.27	meters to corner	338 ;
thence	S 24-39-21 E	178.75	meters to corner	339 ;
thence	N 73-46-14 W	143.83	meters to corner	340 ;
thence	N 75-26-00 W	106.52	meters to corner	341 ;
thence	N 17-54-00 W	83.09	meters to corner	342 ;

thence	S 71-42-00 W	87.01	meters to corner	343 ;
thence	N 71-22-00 W	94.33	meters to corner	344 ;
thence	N 46-16-00 E	105.04	meters to corner	345 ;
thence	N 24-59-00 W	104.71	meters to corner	346 ;
thence	N 86-56-00 W	128.94	meters to corner	347 ;
thence	S 65-19-00 W	73.96	meters to corner	348 ;
thence	S 20-42-00 W	96.05	meters to corner	349 ;
thence	S 20-42-00 W	37.76	meters to corner	350 ;
thence	S 05-26-00 E	96.48	meters to corner	351 ;
thence	S 03-38-00 W	95.28	meters to corner	352 ;
thence	S 78-24-58 W	166.67	meters to corner	353 ;
thence	N 11-01-00 W	100.25	meters to corner	354 ;
thence	N 80-16-00 W	96.16	meters to corner	355 ;
thence	S 11-01-00 E	25.81	meters to corner	356 ;
thence	S 86-07-37 W	88.47	meters to corner	357 ;
thence	N 09-30-00 W	21.14	meters to corner	358 ;
thence	S 79-22-00 W	73.76	meters to corner	359 ;
thence	N 01-04-00 W	16.05	meters to corner	360 ;
thence	S 81-01-00 W	32.12	meters to corner	361 ;
thence	S 18-27-01 E	16.91	meters to corner	362 ;
thence	S 79-22-01 W	13.19	meters to corner	363 ;
thence	N 11-58-00 W	34.02	meters to corner	364 ;
thence	S 83-54-00 W	23.82	meters to corner	365 ;
thence	N 62-50-00 W	45.54	meters to corner	366 ;
thence	N 31-20-00 W	113.04	meters to corner	367 ;
thence	S 31-19-58 E	6.96	meters to corner	368 ;
thence	N 71-11-14 E	163.18	meters to corner	369 ;
thence	N 82-58-18 E	147.11	meters to corner	370 ;

thence	N 36-11-36 E	254.02	meters to corner	371 ;
thence	N 53-49-13 E	83.01	meters to corner	372 ;
thence	N 11-49-17 E	219.66	meters to corner	373 ;
thence	N 18-45-18 E	283.03	meters to corner	374 ;
thence	N 34-56-12 W	254.95	meters to corner	375 ;
thence	N 04-23-55 E	143.42	meters to corner	376 ;
thence	N 40-23-10 W	404.36	meters to corner	377 ;
thence	S 32-16-04 W	324.05	meters to corner	378 ;
thence	S 07-40-00 W	209.88	meters to corner	379 ;
thence	S 25-15-24 W	274.21	meters to corner	380 ;
thence	S 11-49-37 W	239.08	meters to corner	381 ;
thence	S 76-14-21 E	100.90	meters to corner	382 ;
thence	S 26-33-54 W	165.47	meters to corner	383 ;
thence	S 43-11-46 E	179.69	meters to corner	384 ;
thence	S 10-18-06 W	203.91	meters to corner	385 ;
thence	N 66-09-00 E	15.05	meters to corner	386 ;
thence	S 66-09-00 W	47.25	meters to corner	1 ;

the point of the beginning, covering a total area of 1,742.19 hectares, more or less.

BLOCK - IV

Beginning at a point marked 1 on Forestland Boundary Map, being S 71-43-45 E, 41032.929 meters from PLW-2 (*PRS -92 Control Point: Latitude 12-08-00.68235, Longitude 119-56-02.34688*) Brgy. Town Proper, Municipality of Busuanga, Province of Palawan:

thence	N 74-18-28 E	247.12	meters to corner	2 ;
thence	S 72-24-35 E	329.86	meters to corner	3 ;
thence	S 23-48-13 E	184.82	meters to corner	4 ;
thence	S 33-47-05 E	264.20	meters to corner	5 ;
thence	S 41-05-13 E	257.82	meters to corner	6 ;

thence	S 39-57-55 E	203.06	meters to corner	7 ;
thence	S 76-14-53 E	197.25	meters to corner	8 ;
thence	S 39-24-19 E	192.52	meters to corner	9 ;
thence	S 59-25-15 E	213.93	meters to corner	10 ;
thence	S 66-53-37 E	227.55	meters to corner	11 ;
thence	S 83-29-49 E	222.38	meters to corner	12 ;
thence	S 29-28-33 E	182.58	meters to corner	13 ;
thence	S 42-33-44 E	256.87	meters to corner	14 ;
thence	S 84-25-40 W	59.09	meters to corner	15 ;
thence	S 71-10-31 W	66.68	meters to corner	16 ;
thence	S 59-02-11 W	75.27	meters to corner	17 ;
thence	N 63-26-06 W	70.56	meters to corner	18 ;
thence	S 90-00-00 W	58.81	meters to corner	19 ;
thence	S 50-54-22 W	88.71	meters to corner	20 ;
thence	S 33-51-49 W	131.28	meters to corner	21 ;
thence	N 01-15-16 E	196.55	meters to corner	22 ;
thence	N 21-05-02 W	127.59	meters to corner	23 ;
thence	N 89-51-28 W	168.38	meters to corner	24 ;
thence	N 59-05-05 W	318.50	meters to corner	25 ;
thence	S 23-45-33 W	157.72	meters to corner	26 ;
thence	S 48-17-48 W	222.63	meters to corner	27 ;
thence	N 46-04-35 W	184.81	meters to corner	28 ;
thence	N 18-36-10 W	255.67	meters to corner	29 ;
thence	N 38-53-04 W	221.11	meters to corner	30 ;
thence	N 31-15-49 W	181.87	meters to corner	31 ;
thence	N 46-13-08 W	184.56	meters to corner	32 ;
thence	N 55-37-11 W	255.64	meters to corner	33 ;
thence	N 71-10-18 W	187.71	meters to corner	34 ;

thence	N 55-23-02 W	215.89	meters to corner	35 ;
thence	N 08-45-08 W	161.50	meters to corner	36 ;
thence	N 16-21-40 E	247.87	meters to corner	1 ;

the point of the beginning, covering a total area of 115.04 hectares, more or less.

BLOCK - V

Beginning at a point marked 1 on Forestland Boundary Map, being N 55-26-52 W, 2429.2 meters from PLW-39 (***PRS -92 Control Point: Latitude 11-53-47.16867, Longitude 120-1-5.13609***) Brgy. Balala, Municipality of Culion, Province of Palawan:

thence	S 52-31-13 W	432.22	meters to corner	2 ;
thence	S 51-09-11 W	191.31	meters to corner	3 ;
thence	S 79-38-35 W	840.44	meters to corner	4 ;
thence	S 85-42-54 W	327.77	meters to corner	5 ;
thence	N 61-01-23 E	387.51	meters to corner	6 ;
thence	N 30-11-17 E	191.99	meters to corner	7 ;
thence	N 73-41-17 E	193.87	meters to corner	8 ;
thence	N 84-44-14 E	375.58	meters to corner	9 ;
thence	N 58-24-10 E	250.67	meters to corner	10 ;
thence	N 82-55-04 E	362.26	meters to corner	11 ;
thence	S 52-04-25 E	97.62	meters to corner	1 ;

the point of the beginning, covering a total area of 38.78 hectares, more or less.

BLOCK - VI

Beginning at a point marked 1 on Forestland Boundary Map, being S 24-03-34 W, 1913.82 meters from PLW-38 (***PRS -92 Control Point: Latitude 11-53-30.81197, Longitude 120-01-20.94022***) Brgy. Fescadorez, Municipality of Culion, Province of Palawan:

thence	N 65-09-40 E	284.33	meters to corner	2 ;
--------	--------------	--------	------------------	-----

thence	N 60-01-39 E	271.66	meters to corner	3 ;
thence	N 72-38-45 E	364.27	meters to corner	4 ;
thence	S 83-49-07 E	297.10	meters to corner	5 ;
thence	N 85-51-47 E	156.31	meters to corner	6 ;
thence	S 43-34-26 E	107.03	meters to corner	7 ;
thence	S 26-36-10 W	95.40	meters to corner	8 ;
thence	S 07-51-06 E	209.72	meters to corner	9 ;
thence	S 62-42-46 E	209.43	meters to corner	10 ;
thence	S 50-53-22 W	376.28	meters to corner	11 ;
thence	S 52-34-17 W	101.61	meters to corner	12 ;
thence	S 47-32-13 W	128.98	meters to corner	13 ;
thence	N 80-21-38 W	206.72	meters to corner	14 ;
thence	S 86-35-05 W	289.22	meters to corner	15 ;
thence	S 70-08-35 W	238.93	meters to corner	16 ;
thence	N 29-34-20 W	253.79	meters to corner	17 ;
thence	N 24-13-28 W	180.74	meters to corner	18 ;
thence	N 39-16-46 W	242.78	meters to corner	1 ;

the point of the beginning, covering a total area of 92.2 hectares, more or less.

BLOCK - VII

Beginning at a point marked 1 on Forestland Boundary Map, being N 68-00-01 E, 9106.162 meters from PLW-55 (BLLM-1) (***PRS -92 Control Point: Latitude 11-10-50.42906, Longitude 119-23-23.84788***) Brgy. Poblacion, Municipality of El Nido, Province of Palawan:

thence	N 72-03-49 E	515.35	meters to corner	2 ;
thence	S 74-48-17 E	523.33	meters to corner	3 ;
thence	S 47-30-31 E	309.16	meters to corner	4 ;
thence	N 72-44-20 E	771.76	meters to corner	5 ;
thence	N 72-52-59 E	893.58	meters to corner	6 ;

thence	N 88-13-14 E	676.33	meters to corner	7 ;
thence	S 02-21-41 W	485.41	meters to corner	8 ;
thence	S 50-48-24 E	419.35	meters to corner	9 ;
thence	S 89-32-36 E	502.02	meters to corner	10 ;
thence	S 38-27-26 E	750.89	meters to corner	11 ;
thence	N 87-31-50 W	371.35	meters to corner	12 ;
thence	N 87-13-47 W	310.36	meters to corner	13 ;
thence	N 40-24-34 W	485.93	meters to corner	14 ;
thence	N 51-22-58 W	209.90	meters to corner	15 ;
thence	N 88-36-36 W	783.23	meters to corner	16 ;
thence	S 46-47-55 E	585.77	meters to corner	17 ;
thence	S 65-55-00 E	289.17	meters to corner	18 ;
thence	S 35-34-28 W	362.69	meters to corner	19 ;
thence	S 17-20-25 W	248.28	meters to corner	20 ;
thence	N 88-15-51 W	165.08	meters to corner	21 ;
thence	N 63-57-32 W	314.28	meters to corner	22 ;
thence	N 15-37-10 W	396.16	meters to corner	23 ;
thence	N 54-17-36 W	161.67	meters to corner	24 ;
thence	S 00-44-04 E	320.02	meters to corner	25 ;
thence	S 49-23-55 W	189.12	meters to corner	26 ;
thence	N 38-39-35 W	367.77	meters to corner	27 ;
thence	N 33-09-28 W	367.54	meters to corner	28 ;
thence	N 69-24-21 W	723.13	meters to corner	29 ;
thence	N 86-25-25 W	197.31	meters to corner	30 ;
thence	N 49-45-49 W	279.45	meters to corner	31 ;
thence	N 80-50-47 W	560.54	meters to corner	32 ;
thence	N 57-42-28 W	391.75	meters to corner	1 ;

the point of the beginning, covering a total area of 324.92 hectares, more or less.

BLOCK - VIII

Beginning at a point marked 1 on Forestland Boundary Map, being N 67-51-15 E, 8796.323 meters from PLW-55 (BLLM-1) (***PRS -92 Control Point: Latitude 11-10-50.42906, Longitude 119-23-23.84788***) Brgy. Poblacion, Municipality of El Nido, Province of Palawan:

thence	N 73-29-08 E	211.96	meters to corner	2 ;
thence	S 23-42-17 E	182.58	meters to corner	3 ;
thence	S 68-51-59 E	319.78	meters to corner	4 ;
thence	S 76-47-43 E	546.69	meters to corner	5 ;
thence	S 49-27-04 E	352.18	meters to corner	6 ;
thence	S 67-42-52 E	196.02	meters to corner	7 ;
thence	N 88-23-11 E	211.19	meters to corner	8 ;
thence	S 62-01-14 E	215.48	meters to corner	9 ;
thence	S 18-12-31 W	237.89	meters to corner	10 ;
thence	S 57-22-51 E	88.25	meters to corner	11 ;
thence	N 35-16-21 E	149.32	meters to corner	12 ;
thence	N 69-54-17 E	129.81	meters to corner	13 ;
thence	S 35-07-40 E	643.66	meters to corner	14 ;
thence	S 70-45-41 E	162.00	meters to corner	15 ;
thence	N 66-48-05 E	135.87	meters to corner	16 ;
thence	S 53-18-14 E	442.44	meters to corner	17 ;
thence	S 63-26-06 E	273.56	meters to corner	18 ;
thence	S 62-40-03 E	422.64	meters to corner	19 ;
thence	S 51-43-59 E	432.54	meters to corner	20 ;
thence	N 88-38-48 W	267.96	meters to corner	21 ;
thence	S 22-08-08 W	268.70	meters to corner	22 ;
thence	N 60-08-28 W	262.68	meters to corner	23 ;
thence	S 48-21-59 W	152.40	meters to corner	24 ;
thence	N 50-21-21 W	191.75	meters to corner	25 ;

thence	N 39-14-15 W	326.80	meters to corner	26 ;
thence	N 27-10-23 W	528.55	meters to corner	27 ;
thence	N 68-29-48 W	427.16	meters to corner	28 ;
thence	S 62-28-38 W	299.27	meters to corner	29 ;
thence	N 22-22-49 W	362.46	meters to corner	30 ;
thence	N 75-57-50 W	174.55	meters to corner	31 ;
thence	S 77-22-18 W	248.10	meters to corner	32 ;
thence	N 55-58-50 W	63.84	meters to corner	33 ;
thence	N 70-30-25 E	158.58	meters to corner	34 ;
thence	N 74-58-20 W	222.67	meters to corner	35 ;
thence	N 59-34-27 W	380.32	meters to corner	36 ;
thence	N 36-43-58 W	268.91	meters to corner	37 ;
thence	N 54-50-45 W	459.52	meters to corner	38 ;
thence	N 68-19-04 W	258.66	meters to corner	39 ;
thence	N 48-44-35 W	513.67	meters to corner	1 ;

the point of the beginning, covering a total area of 149.77 hectares, more or less.

BLOCK - IX

Beginning at a point marked 1 on Forestland Boundary Map, being S 83-31-32 E, 9054.175 meters from PLW-55 (BLLM-1) (***PRS -92 Control Point: Latitude 11-10-50.42906, Longitude 119-23-23.84788***) Brgy. Poblacion, Municipality of El Nido, Province of Palawan:

thence	N 13-35-27 W	105.83	meters to corner	2 ;
thence	N 19-44-13 E	368.24	meters to corner	3 ;
thence	N 55-29-29 E	143.93	meters to corner	4 ;
thence	S 86-19-56 E	299.50	meters to corner	5 ;
thence	S 75-25-53 E	783.18	meters to corner	6 ;
thence	S 45-56-05 E	606.78	meters to corner	7 ;
thence	N 84-17-22 E	231.15	meters to corner	8 ;

thence	S 76-38-58 E	506.69	meters to corner	9 ;
thence	N 37-08-36 E	419.01	meters to corner	10 ;
thence	N 15-54-51 E	251.65	meters to corner	11 ;
thence	N 58-04-45 W	215.60	meters to corner	12 ;
thence	N 00-18-47 E	366.01	meters to corner	13 ;
thence	S 76-06-43 E	187.48	meters to corner	14 ;
thence	N 42-06-22 E	322.14	meters to corner	15 ;
thence	N 77-23-29 E	233.63	meters to corner	16 ;
thence	S 13-29-45 E	179.97	meters to corner	17 ;
thence	S 04-03-59 E	211.53	meters to corner	18 ;
thence	S 35-46-52 E	273.65	meters to corner	19 ;
thence	S 02-18-14 W	174.14	meters to corner	20 ;
thence	S 41-40-21 W	243.66	meters to corner	21 ;
thence	S 04-00-51 E	228.56	meters to corner	22 ;
thence	S 15-31-27 W	130.77	meters to corner	23 ;
thence	S 06-32-47 W	122.80	meters to corner	24 ;
thence	S 28-43-25 W	201.84	meters to corner	25 ;
thence	S 20-10-14 E	261.01	meters to corner	26 ;
thence	S 56-23-46 W	368.60	meters to corner	27 ;
thence	S 73-34-50 W	215.80	meters to corner	28 ;
thence	N 29-36-49 E	579.11	meters to corner	29 ;
thence	N 06-40-48 E	569.79	meters to corner	30 ;
thence	S 84-47-41 W	163.23	meters to corner	31 ;
thence	S 13-43-20 W	373.46	meters to corner	32 ;
thence	S 72-05-15 W	438.92	meters to corner	33 ;
thence	N 84-11-04 W	457.97	meters to corner	34 ;
thence	S 62-58-09 W	232.06	meters to corner	35 ;
thence	S 00-00-00 W	215.15	meters to corner	36 ;

thence	N 48-44-11 W	495.70	meters to corner	37 ;
thence	S 14-28-13 W	184.28	meters to corner	38 ;
thence	S 41-11-09 E	305.93	meters to corner	39 ;
thence	S 87-11-04 W	351.53	meters to corner	40 ;
thence	N 12-24-35 W	300.07	meters to corner	41 ;
thence	S 26-33-54 W	179.23	meters to corner	42 ;
thence	N 60-17-51 W	271.02	meters to corner	43 ;
thence	S 46-02-30 W	223.85	meters to corner	44 ;
thence	S 72-48-05 E	370.95	meters to corner	45 ;
thence	S 08-07-48 E	89.49	meters to corner	46 ;
thence	S 74-10-19 W	315.53	meters to corner	47 ;
thence	N 74-40-31 W	389.48	meters to corner	48 ;
thence	S 03-27-19 E	120.42	meters to corner	49 ;
thence	S 71-33-54 E	236.62	meters to corner	50 ;
thence	S 54-40-21 W	571.02	meters to corner	51 ;
thence	N 80-50-08 W	157.78	meters to corner	52 ;
thence	N 44-33-53 W	379.22	meters to corner	53 ;
thence	S 44-28-18 W	249.30	meters to corner	54 ;
thence	N 32-13-34 W	412.55	meters to corner	55 ;
thence	N 09-44-45 W	531.67	meters to corner	56 ;
thence	N 33-52-29 W	172.24	meters to corner	57 ;
thence	N 50-50-40 E	90.27	meters to corner	58 ;
thence	S 54-56-51 E	233.32	meters to corner	59 ;
thence	S 14-33-51 E	552.76	meters to corner	60 ;
thence	N 68-41-50 E	682.64	meters to corner	61 ;
thence	N 73-39-37 E	259.48	meters to corner	62 ;
thence	N 09-36-52 W	185.61	meters to corner	63 ;
thence	N 33-34-15 W	399.66	meters to corner	64 ;

thence N 48-37-17 W 121.24 meters to corner 1 ;

the point of the beginning, covering a total area of 368.70 hectares, more or less.

BLOCK - X

Beginning at a point marked 1 on Forestland Boundary Map, being S 78-40-40 E, 11068.818 meters from PLW-55 (BLLM-1) (*PRS -92 Control Point: Latitude 11-10-50.42906, Longitude 119-23-23.84788*) Brgy. Poblacion, Municipality of El Nido, Province of Palawan:

thence	N 02-49-15 W	459.34	meters to corner	2 ;
thence	N 54-31-13 E	229.66	meters to corner	3 ;
thence	S 59-18-01 E	274.19	meters to corner	4 ;
thence	N 79-28-20 E	423.39	meters to corner	5 ;
thence	S 16-11-21 W	594.56	meters to corner	6 ;
thence	S 00-58-15 W	275.52	meters to corner	7 ;
thence	S 45-30-04 W	242.55	meters to corner	8 ;
thence	N 02-35-25 W	420.43	meters to corner	9 ;
thence	N 45-14-09 W	171.83	meters to corner	10 ;
thence	S 80-45-42 W	336.36	meters to corner	1 ;

the point of the beginning, covering a total area of 44.75 hectares, more or less.

BLOCK - XI

Beginning at a point marked 1 on Forestland Boundary Map, being N 41-30-16 W, 7472.8 meters from PLW-8 (*PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481*) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	N 19-49-56 W	269.29	meters to corner	2 ;
thence	S 70-33-36 W	374.32	meters to corner	3 ;
thence	N 13-45-39 E	209.50	meters to corner	4 ;
thence	N 43-15-52 W	290.84	meters to corner	5 ;

thence	S 54-09-45 W	92.21	meters to corner	6 ;
thence	N 24-52-49 W	315.85	meters to corner	7 ;
thence	N 34-30-30 E	161.26	meters to corner	8 ;
thence	N 49-12-16 W	331.83	meters to corner	9 ;
thence	N 22-09-57 W	236.73	meters to corner	10 ;
thence	S 62-09-09 E	248.92	meters to corner	11 ;
thence	N 13-25-52 W	286.06	meters to corner	12 ;
thence	S 68-31-24 E	272.22	meters to corner	13 ;
thence	S 15-42-31 E	276.09	meters to corner	14 ;
thence	S 44-23-02 E	273.10	meters to corner	15 ;
thence	S 03-28-06 E	274.58	meters to corner	16 ;
thence	S 45-41-26 E	243.74	meters to corner	17 ;
thence	S 32-59-18 E	282.20	meters to corner	18 ;
thence	S 07-14-13 E	263.72	meters to corner	19 ;
thence	S 00-00-00 W	4.15	meters to corner	1 ;

the point of the beginning, covering a total area of 46.92 hectares, more or less.

BLOCK - XII

Beginning at a point marked 1 on Forestland Boundary Map, being S 76-57-43 E, 5787.712 meters from PLW-8 (*PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481*) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	N 69-22-27 E	479.75	meters to corner	2 ;
thence	S 76-01-09 E	500.84	meters to corner	3 ;
thence	S 48-23-22 W	333.26	meters to corner	4 ;
thence	N 42-02-21 W	190.94	meters to corner	5 ;
thence	N 88-38-10 W	138.95	meters to corner	6 ;
thence	S 00-38-51 W	585.43	meters to corner	7 ;
thence	S 31-20-41 E	245.20	meters to corner	8 ;

thence	S 02-56-39 W	700.93	meters to corner	9 ;
thence	S 48-13-33 E	439.81	meters to corner	10 ;
thence	S 17-04-16 W	531.41	meters to corner	11 ;
thence	S 02-04-04 W	637.42	meters to corner	12 ;
thence	N 59-08-34 W	1015.79	meters to corner	13 ;
thence	N 77-08-54 E	481.05	meters to corner	14 ;
thence	N 43-48-23 E	407.38	meters to corner	15 ;
thence	N 35-28-03 W	473.94	meters to corner	16 ;
thence	N 41-28-09 W	723.33	meters to corner	17 ;
thence	N 10-10-04 W	747.74	meters to corner	18 ;
thence	N 43-21-00 E	515.70	meters to corner	1 ;

the point of the beginning, covering a total area of 173.28 hectares, more or less.

BLOCK - XIII

Beginning at a point marked 1 on Forestland Boundary Map, being S 15-13-16 E, 21046.001 meters from PLW-8 (***PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481***) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	S 81-24-35 E	90.91	meters to corner	2 ;
thence	S 10-25-15 E	481.06	meters to corner	3 ;
thence	S 30-49-10 E	337.68	meters to corner	4 ;
thence	S 32-23-59 W	442.13	meters to corner	5 ;
thence	N 80-12-14 W	423.17	meters to corner	6 ;
thence	N 15-44-55 E	1120.05	meters to corner	1 ;

the point of the beginning, covering a total area of 39.72 hectares, more or less.

BLOCK - XIV

Beginning at a point marked 1 on Forestland Boundary Map, being S 15-46-04 E, 21135.973 meters from PLW-8 (*PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481*) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	S 81-29-24 E	244.38	meters to corner	2 ;
thence	S 44-43-15 E	246.30	meters to corner	3 ;
thence	S 27-50-34 W	96.84	meters to corner	4 ;
thence	S 29-01-35 W	88.86	meters to corner	5 ;
thence	S 23-52-40 W	136.28	meters to corner	6 ;
thence	S 75-05-55 W	146.62	meters to corner	7 ;
thence	N 31-57-09 W	144.95	meters to corner	8 ;
thence	N 07-18-40 W	417.22	meters to corner	1 ;

the point of the beginning, covering a total area of 14.51 hectares, more or less.

BLOCK - XV

Beginning at a point marked 1 on Forestland Boundary Map, being S 23-47-39 E, 35993.988 meters from PLW-8 (*PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481*) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	N 25-19-08 E	237.63	meters to corner	2 ;
thence	N 33-58-32 E	216.91	meters to corner	3 ;
thence	N 63-47-08 E	258.36	meters to corner	4 ;
thence	N 06-51-23 E	179.37	meters to corner	5 ;
thence	S 74-16-38 E	44.85	meters to corner	6 ;
thence	S 21-27-51 E	367.32	meters to corner	7 ;
thence	S 07-35-35 W	182.30	meters to corner	8 ;
thence	S 12-19-10 W	140.82	meters to corner	9 ;
thence	N 56-28-10 W	157.45	meters to corner	10 ;
thence	S 79-58-20 W	263.36	meters to corner	11 ;

thence	S 75-03-32 W	216.21	meters to corner	1 ;
--------	--------------	--------	------------------	-----

the point of the beginning, covering a total area of 22.03 hectares, more or less.

BLOCK - XVI

Beginning at a point marked 1 on Forestland Boundary Map, being S 24-35-12 E, 36925.035 meters from PLW-8 (*PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481*) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	S 75-21-29 E	211.97	meters to corner	2 ;
thence	N 49-08-15 E	4.40	meters to corner	3 ;
thence	S 32-18-45 E	511.22	meters to corner	4 ;
thence	S 13-30-45 W	221.47	meters to corner	5 ;
thence	S 13-30-45 W	334.38	meters to corner	6 ;
thence	S 33-41-24 E	211.48	meters to corner	7 ;
thence	S 72-41-58 E	145.21	meters to corner	8 ;
thence	S 30-15-01 W	403.96	meters to corner	9 ;
thence	S 28-58-45 W	435.83	meters to corner	10 ;
thence	N 21-26-33 W	355.61	meters to corner	11 ;
thence	N 57-12-02 W	267.68	meters to corner	12 ;
thence	N 68-50-00 E	318.49	meters to corner	13 ;
thence	N 08-24-02 W	239.57	meters to corner	14 ;
thence	N 45-42-26 W	229.12	meters to corner	15 ;
thence	S 84-42-21 W	260.11	meters to corner	16 ;
thence	S 61-14-44 W	222.43	meters to corner	17 ;
thence	S 63-48-43 W	203.93	meters to corner	18 ;
thence	N 34-04-23 E	332.00	meters to corner	19 ;
thence	N 61-29-46 E	343.66	meters to corner	20 ;
thence	N 76-01-37 E	219.50	meters to corner	21 ;
thence	N 04-34-54 E	255.65	meters to corner	22 ;

thence	N 26-02-31 W	251.02	meters to corner	23 ;
thence	N 21-02-15 E	249.88	meters to corner	1 ;

the point of the beginning, covering a total area of 84.43 hectares, more or less.

BLOCK - XVII

Beginning at a point marked 1 on Forestland Boundary Map, being N 60-43-08 E, 27996.92 meters from PLW-200 (*PRS -92 Control Point: Latitude 10-19-2.25655, Longitude 119-20-36.65108*) Municipality of Roxas, Province of Palawan:

thence	N 25-20-46 E	141.55	meters to corner	2 ;
thence	S 58-48-54 E	149.54	meters to corner	3 ;
thence	S 86-01-39 E	242.97	meters to corner	4 ;
thence	N 03-45-51 E	256.41	meters to corner	5 ;
thence	N 46-24-52 W	385.76	meters to corner	6 ;
thence	N 56-46-06 E	350.15	meters to corner	7 ;
thence	S 41-17-05 E	183.68	meters to corner	8 ;
thence	S 08-41-11 E	245.20	meters to corner	9 ;
thence	S 17-21-14 W	225.73	meters to corner	10 ;
thence	S 16-55-39 E	161.87	meters to corner	11 ;
thence	S 55-10-32 W	282.97	meters to corner	12 ;
thence	N 65-47-39 W	402.32	meters to corner	1 ;

the point of the beginning, covering a total area of 23.71 hectares, more or less.

BLOCK - XVIII

Beginning at a point marked 1 on Forestland Boundary Map, being S 49-27-53 E, 43158.727 meters from PLW-8 (*PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481*) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	N 57-15-53 E	211.37	meters to corner	2 ;
thence	N 27-53-50 W	122.15	meters to corner	3 ;

thence	N 14-02-11 E	157.09	meters to corner	4 ;
thence	N 57-56-54 W	175.09	meters to corner	5 ;
thence	N 10-09-06 E	244.83	meters to corner	6 ;
thence	S 86-52-40 E	249.36	meters to corner	7 ;
thence	N 22-00-41 E	229.50	meters to corner	8 ;
thence	N 75-36-00 E	345.87	meters to corner	9 ;
thence	S 31-49-39 E	309.04	meters to corner	10 ;
thence	N 73-48-39 E	292.27	meters to corner	11 ;
thence	N 30-06-49 E	261.67	meters to corner	12 ;
thence	N 05-31-39 W	281.99	meters to corner	13 ;
thence	N 12-36-17 W	255.14	meters to corner	14 ;
thence	N 10-02-19 E	335.58	meters to corner	15 ;
thence	N 04-51-11 E	374.37	meters to corner	16 ;
thence	N 61-59-02 W	314.07	meters to corner	17 ;
thence	N 34-22-47 E	225.19	meters to corner	18 ;
thence	N 20-17-57 W	203.16	meters to corner	19 ;
thence	N 16-46-25 E	148.91	meters to corner	20 ;
thence	N 21-06-54 W	418.96	meters to corner	21 ;
thence	N 11-18-36 E	202.37	meters to corner	22 ;
thence	N 14-52-06 E	185.60	meters to corner	23 ;
thence	N 41-30-19 E	294.65	meters to corner	24 ;
thence	N 81-57-14 E	306.23	meters to corner	25 ;
thence	N 88-22-47 E	245.34	meters to corner	26 ;
thence	N 80-17-36 E	345.12	meters to corner	27 ;
thence	S 07-50-08 E	492.49	meters to corner	28 ;
thence	S 45-19-25 E	280.11	meters to corner	29 ;
thence	S 63-37-52 W	292.26	meters to corner	30 ;
thence	S 21-05-32 W	335.82	meters to corner	31 ;

thence	N 88-35-08 W	189.48	meters to corner	32 ;
thence	N 88-35-08 W	354.52	meters to corner	33 ;
thence	S 80-38-49 W	192.79	meters to corner	34 ;
thence	S 38-05-55 E	981.15	meters to corner	35 ;
thence	S 10-36-47 W	1190.85	meters to corner	36 ;
thence	S 16-09-26 W	249.32	meters to corner	37 ;
thence	S 33-47-57 W	1303.50	meters to corner	38 ;
thence	N 51-00-05 W	172.33	meters to corner	39 ;
thence	N 27-24-27 E	193.13	meters to corner	40 ;
thence	N 80-32-16 W	115.88	meters to corner	41 ;
thence	N 01-11-37 E	304.87	meters to corner	42 ;
thence	S 72-53-50 W	259.11	meters to corner	43 ;
thence	S 06-04-21 W	300.14	meters to corner	44 ;
thence	S 77-16-32 W	201.81	meters to corner	45 ;
thence	N 17-39-00 E	146.60	meters to corner	46 ;
thence	S 68-11-55 W	239.37	meters to corner	47 ;
thence	N 30-34-45 W	162.27	meters to corner	1 ;

the point of the beginning, covering a total area of 340.79 hectares, more or less.

BLOCK - XIX

Beginning at a point marked 1 on Forestland Boundary Map, being S 57-58-32 E, 41651.665 meters from PLW-8 (*PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481*) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	N 30-05-34 E	183.39	meters to corner	2 ;
thence	N 74-03-17 E	231.14	meters to corner	3 ;
thence	N 26-33-54 E	106.49	meters to corner	4 ;
thence	N 77-37-09 E	222.12	meters to corner	5 ;
thence	N 08-35-10 W	42.44	meters to corner	6 ;

thence	N 08-35-10 W	131.45	meters to corner	7 ;
thence	N 48-14-15 E	587.81	meters to corner	8 ;
thence	S 83-05-44 E	112.16	meters to corner	9 ;
thence	N 48-38-17 E	324.32	meters to corner	10 ;
thence	S 16-13-33 W	39.49	meters to corner	11 ;
thence	S 43-36-11 E	29.21	meters to corner	12 ;
thence	S 45-20-50 E	19.58	meters to corner	13 ;
thence	S 46-47-23 E	15.20	meters to corner	14 ;
thence	S 52-31-27 E	12.69	meters to corner	15 ;
thence	S 62-31-30 E	9.46	meters to corner	16 ;
thence	S 66-48-07 E	5.68	meters to corner	17 ;
thence	S 66-48-04 E	4.55	meters to corner	18 ;
thence	S 60-31-28 E	8.87	meters to corner	19 ;
thence	S 52-54-25 E	17.26	meters to corner	20 ;
thence	S 68-11-55 E	9.04	meters to corner	21 ;
thence	S 56-18-34 E	7.26	meters to corner	22 ;
thence	S 57-15-54 E	11.17	meters to corner	23 ;
thence	S 49-11-06 E	9.76	meters to corner	24 ;
thence	S 51-45-59 E	14.10	meters to corner	25 ;
thence	S 64-17-23 E	10.06	meters to corner	26 ;
thence	S 70-54-24 E	9.24	meters to corner	27 ;
thence	S 77-00-19 E	8.96	meters to corner	28 ;
thence	N 90-00-00 E	0.02	meters to corner	29 ;
thence	N 90-00-00 E	6.36	meters to corner	30 ;
thence	N 70-33-35 E	6.05	meters to corner	31 ;
thence	N 48-48-51 E	7.14	meters to corner	32 ;
thence	N 50-31-40 E	7.39	meters to corner	33 ;
thence	N 55-10-32 E	14.11	meters to corner	34 ;

thence	N 66-26-52 E	14.28	meters to corner	35 ;
thence	N 73-48-38 E	10.84	meters to corner	36 ;
thence	N 80-32-17 E	10.21	meters to corner	37 ;
thence	N 90-00-00 E	13.76	meters to corner	38 ;
thence	S 85-25-36 E	8.42	meters to corner	39 ;
thence	S 80-47-20 E	12.58	meters to corner	40 ;
thence	S 71-33-54 E	14.86	meters to corner	41 ;
thence	S 69-16-27 E	13.28	meters to corner	42 ;
thence	S 65-24-36 E	21.78	meters to corner	43 ;
thence	S 69-00-08 E	16.83	meters to corner	44 ;
thence	S 13-44-39 W	0.96	meters to corner	45 ;
thence	S 13-15-52 W	208.80	meters to corner	46 ;
thence	S 77-14-04 W	218.71	meters to corner	47 ;
thence	S 01-09-26 E	165.01	meters to corner	48 ;
thence	S 24-46-30 E	98.43	meters to corner	49 ;
thence	S 24-46-31 E	68.59	meters to corner	50 ;
thence	S 08-03-48 E	201.97	meters to corner	51 ;
thence	S 02-09-01 E	355.12	meters to corner	52 ;
thence	S 88-37-57 W	143.35	meters to corner	53 ;
thence	S 14-25-15 E	102.47	meters to corner	54 ;
thence	S 14-25-15 E	138.42	meters to corner	55 ;
thence	S 61-31-07 E	228.59	meters to corner	56 ;
thence	S 20-19-45 E	100.58	meters to corner	57 ;
thence	N 07-45-29 E	237.66	meters to corner	58 ;
thence	N 47-36-09 E	123.61	meters to corner	59 ;
thence	N 30-21-09 E	170.17	meters to corner	60 ;
thence	S 68-07-53 E	209.55	meters to corner	61 ;
thence	S 42-21-27 E	182.61	meters to corner	62 ;

thence	S 53-38-34 W	81.91	meters to corner	63 ;
thence	N 24-37-25 W	167.65	meters to corner	64 ;
thence	S 72-23-26 W	55.64	meters to corner	65 ;
thence	S 72-23-25 W	122.81	meters to corner	66 ;
thence	S 16-35-14 W	159.71	meters to corner	67 ;
thence	S 33-41-24 E	93.94	meters to corner	68 ;
thence	S 11-23-55 W	205.97	meters to corner	69 ;
thence	S 75-03-52 E	76.06	meters to corner	70 ;
thence	S 80-33-36 E	69.11	meters to corner	71 ;
thence	S 55-54-18 W	127.81	meters to corner	72 ;
thence	S 03-52-43 E	192.58	meters to corner	73 ;
thence	S 64-09-18 E	91.48	meters to corner	74 ;
thence	N 39-33-04 E	59.93	meters to corner	75 ;
thence	S 15-13-15 E	151.91	meters to corner	76 ;
thence	S 54-57-58 E	358.43	meters to corner	77 ;
thence	S 70-31-25 E	66.55	meters to corner	78 ;
thence	S 22-50-18 W	193.94	meters to corner	79 ;
thence	S 78-54-59 E	135.65	meters to corner	80 ;
thence	N 50-18-52 E	161.59	meters to corner	81 ;
thence	S 89-07-31 E	173.32	meters to corner	82 ;
thence	S 29-08-04 W	92.39	meters to corner	83 ;
thence	S 80-32-16 E	185.08	meters to corner	84 ;
thence	S 66-53-37 E	107.87	meters to corner	85 ;
thence	N 49-26-30 E	56.67	meters to corner	86 ;
thence	S 11-24-42 E	210.34	meters to corner	87 ;
thence	N 56-55-15 E	172.09	meters to corner	88 ;
thence	N 31-04-45 E	225.52	meters to corner	89 ;
thence	S 69-03-26 E	229.47	meters to corner	90 ;

thence	N 01-22-49 E	329.50	meters to corner	91 ;
thence	N 77-52-49 W	422.16	meters to corner	92 ;
thence	N 06-44-38 E	518.20	meters to corner	93 ;
thence	N 26-42-32 E	235.47	meters to corner	94 ;
thence	N 25-24-28 W	117.17	meters to corner	95 ;
thence	N 64-55-57 E	181.10	meters to corner	96 ;
thence	N 29-25-21 W	147.78	meters to corner	97 ;
thence	N 77-36-10 W	183.03	meters to corner	98 ;
thence	N 54-24-33 E	331.87	meters to corner	99 ;
thence	N 74-36-16 E	184.49	meters to corner	100 ;
thence	S 62-54-48 E	76.00	meters to corner	101 ;
thence	S 11-04-13 E	124.02	meters to corner	102 ;
thence	S 37-02-10 E	182.30	meters to corner	103 ;
thence	S 49-44-15 E	169.90	meters to corner	104 ;
thence	S 63-02-03 E	169.21	meters to corner	105 ;
thence	S 81-52-12 E	130.96	meters to corner	106 ;
thence	S 37-59-00 W	122.53	meters to corner	107 ;
thence	S 37-12-11 E	227.55	meters to corner	108 ;
thence	S 82-23-17 E	289.63	meters to corner	109 ;
thence	S 59-02-11 E	77.14	meters to corner	110 ;
thence	S 20-26-58 E	166.60	meters to corner	111 ;
thence	S 22-43-27 E	167.81	meters to corner	112 ;
thence	S 43-52-07 E	160.10	meters to corner	113 ;
thence	S 82-29-43 E	267.40	meters to corner	114 ;
thence	N 27-36-24 E	97.64	meters to corner	115 ;
thence	S 81-07-39 E	15.07	meters to corner	116 ;
thence	S 81-04-35 E	12.21	meters to corner	117 ;
thence	N 68-33-09 E	15.92	meters to corner	118 ;

thence	N 63-26-05 E	15.38	meters to corner	119 ;
thence	N 77-28-17 E	14.64	meters to corner	120 ;
thence	N 70-17-31 E	18.83	meters to corner	121 ;
thence	N 65-46-20 E	11.61	meters to corner	122 ;
thence	N 73-44-23 E	13.23	meters to corner	123 ;
thence	N 77-00-19 E	14.12	meters to corner	124 ;
thence	N 68-33-09 E	15.92	meters to corner	125 ;
thence	N 65-33-21 E	12.79	meters to corner	126 ;
thence	N 67-03-42 E	195.05	meters to corner	127 ;
thence	S 15-38-32 W	68.69	meters to corner	128 ;
thence	S 32-34-27 E	113.03	meters to corner	129 ;
thence	S 79-59-31 E	182.70	meters to corner	130 ;
thence	S 56-06-47 E	213.54	meters to corner	131 ;
thence	S 32-00-19 W	49.92	meters to corner	132 ;
thence	S 10-57-15 E	83.54	meters to corner	133 ;
thence	S 33-41-24 W	76.32	meters to corner	134 ;
thence	S 29-28-33 E	69.90	meters to corner	135 ;
thence	S 28-40-23 E	193.00	meters to corner	136 ;
thence	S 57-51-46 E	243.72	meters to corner	137 ;
thence	S 75-39-02 E	234.87	meters to corner	138 ;
thence	S 50-18-01 E	183.39	meters to corner	139 ;
thence	S 37-52-15 E	136.50	meters to corner	140 ;
thence	S 42-13-40 E	160.48	meters to corner	141 ;
thence	S 17-23-17 W	255.38	meters to corner	142 ;
thence	S 35-29-50 E	231.25	meters to corner	143 ;
thence	S 19-09-20 W	199.57	meters to corner	144 ;
thence	S 24-55-32 E	123.58	meters to corner	145 ;
thence	S 02-39-48 E	219.20	meters to corner	146 ;

thence	N 83-15-03 W	205.24	meters to corner	147 ;
thence	N 32-01-07 W	301.91	meters to corner	148 ;
thence	S 57-04-56 W	149.71	meters to corner	149 ;
thence	S 33-54-31 E	173.11	meters to corner	150 ;
thence	S 04-37-36 E	275.54	meters to corner	151 ;
thence	S 61-40-02 E	191.78	meters to corner	152 ;
thence	S 35-29-06 E	267.10	meters to corner	153 ;
thence	N 42-29-56 E	162.92	meters to corner	154 ;
thence	N 09-38-43 E	232.21	meters to corner	155 ;
thence	S 35-54-06 E	208.17	meters to corner	156 ;
thence	S 49-11-21 E	277.37	meters to corner	157 ;
thence	S 77-05-33 W	356.70	meters to corner	158 ;
thence	S 16-30-16 E	111.76	meters to corner	159 ;
thence	S 61-15-37 E	140.32	meters to corner	160 ;
thence	S 15-45-04 W	207.52	meters to corner	161 ;
thence	N 89-07-07 W	137.20	meters to corner	162 ;
thence	S 14-15-52 W	201.34	meters to corner	163 ;
thence	S 19-08-15 E	75.79	meters to corner	164 ;
thence	N 77-20-06 W	362.03	meters to corner	165 ;
thence	N 24-54-17 E	122.52	meters to corner	166 ;
thence	N 51-10-13 W	208.88	meters to corner	167 ;
thence	S 10-33-40 W	238.19	meters to corner	168 ;
thence	S 54-19-25 W	190.54	meters to corner	169 ;
thence	N 48-10-47 W	202.37	meters to corner	170 ;
thence	N 41-11-10 E	84.38	meters to corner	171 ;
thence	N 30-34-45 W	101.42	meters to corner	172 ;
thence	N 76-14-21 W	200.22	meters to corner	173 ;
thence	N 12-24-27 W	203.18	meters to corner	174 ;

thence	S 41-38-01 W	191.16	meters to corner	175 ;
thence	S 17-59-14 E	321.30	meters to corner	176 ;
thence	S 70-29-51 W	202.10	meters to corner	177 ;
thence	N 16-47-54 W	219.72	meters to corner	178 ;
thence	S 60-48-09 W	154.58	meters to corner	179 ;
thence	S 02-29-22 E	91.37	meters to corner	180 ;
thence	N 83-22-03 W	171.81	meters to corner	181 ;
thence	S 50-00-47 W	160.58	meters to corner	182 ;
thence	S 87-20-13 W	170.84	meters to corner	183 ;
thence	N 42-47-51 W	146.04	meters to corner	184 ;
thence	S 35-32-16 W	136.56	meters to corner	185 ;
thence	S 50-38-54 E	256.62	meters to corner	186 ;
thence	S 48-16-14 W	393.53	meters to corner	187 ;
thence	S 37-08-48 E	164.31	meters to corner	188 ;
thence	S 59-18-01 E	147.70	meters to corner	189 ;
thence	N 41-45-37 E	148.97	meters to corner	190 ;
thence	S 49-11-06 E	115.37	meters to corner	191 ;
thence	S 87-57-17 E	222.39	meters to corner	192 ;
thence	S 45-00-00 E	157.16	meters to corner	193 ;
thence	S 54-03-28 E	196.08	meters to corner	194 ;
thence	N 27-33-10 E	102.96	meters to corner	195 ;
thence	S 54-14-13 E	327.17	meters to corner	196 ;
thence	S 75-57-49 E	327.27	meters to corner	197 ;
thence	S 16-54-35 E	393.12	meters to corner	198 ;
thence	S 22-50-01 W	109.09	meters to corner	199 ;
thence	S 35-30-06 E	243.75	meters to corner	200 ;
thence	S 05-25-01 W	154.15	meters to corner	201 ;
thence	S 28-10-43 E	126.07	meters to corner	202 ;

thence	S 31-18-49 W	275.79	meters to corner	203 ;
thence	S 86-35-37 W	89.06	meters to corner	204 ;
thence	N 36-11-18 W	249.15	meters to corner	205 ;
thence	N 00-11-23 E	204.81	meters to corner	206 ;
thence	S 56-45-10 W	52.85	meters to corner	207 ;
thence	S 56-45-11 W	64.29	meters to corner	208 ;
thence	S 56-45-10 W	110.65	meters to corner	209 ;
thence	N 53-37-57 W	229.35	meters to corner	210 ;
thence	N 82-46-55 W	62.05	meters to corner	211 ;
thence	N 42-24-51 W	174.17	meters to corner	212 ;
thence	N 88-34-47 W	192.15	meters to corner	213 ;
thence	N 61-38-42 W	227.30	meters to corner	214 ;
thence	S 78-20-00 W	258.07	meters to corner	215 ;
thence	S 82-18-30 W	178.45	meters to corner	216 ;
thence	N 21-42-53 W	169.03	meters to corner	217 ;
thence	N 43-54-38 E	186.94	meters to corner	218 ;
thence	N 85-45-49 E	286.53	meters to corner	219 ;
thence	N 89-21-48 E	65.91	meters to corner	220 ;
thence	N 89-21-48 E	87.71	meters to corner	221 ;
thence	N 89-21-49 E	36.89	meters to corner	222 ;
thence	N 35-13-48 W	151.87	meters to corner	223 ;
thence	N 42-27-03 W	497.41	meters to corner	224 ;
thence	S 23-15-19 W	69.15	meters to corner	225 ;
thence	S 23-15-19 W	151.23	meters to corner	226 ;
thence	S 71-29-22 W	68.96	meters to corner	227 ;
thence	S 83-39-35 W	134.17	meters to corner	228 ;
thence	N 50-00-06 W	135.02	meters to corner	229 ;
thence	N 19-46-02 E	224.92	meters to corner	230 ;

thence	N 77-28-16 W	121.97	meters to corner	231 ;
thence	N 33-41-24 W	59.62	meters to corner	232 ;
thence	N 54-17-36 E	260.67	meters to corner	233 ;
thence	N 35-25-01 W	182.62	meters to corner	234 ;
thence	S 73-24-58 W	62.22	meters to corner	235 ;
thence	S 73-24-59 W	342.83	meters to corner	236 ;
thence	N 44-05-01 W	235.71	meters to corner	237 ;
thence	N 18-48-43 W	152.62	meters to corner	238 ;
thence	N 76-50-57 E	348.88	meters to corner	239 ;
thence	N 21-02-15 E	176.89	meters to corner	240 ;
thence	N 02-59-16 E	262.48	meters to corner	241 ;
thence	N 46-55-50 E	208.26	meters to corner	242 ;
thence	N 82-41-23 E	477.83	meters to corner	243 ;
thence	S 82-40-08 E	158.35	meters to corner	244 ;
thence	N 29-58-54 E	119.13	meters to corner	245 ;
thence	N 78-59-47 E	145.55	meters to corner	246 ;
thence	N 38-22-03 E	121.49	meters to corner	247 ;
thence	N 83-39-35 E	179.69	meters to corner	248 ;
thence	N 45-00-00 E	173.99	meters to corner	249 ;
thence	N 83-28-49 E	139.81	meters to corner	250 ;
thence	N 43-15-51 E	92.65	meters to corner	251 ;
thence	N 34-04-38 E	162.91	meters to corner	252 ;
thence	N 56-18-36 W	100.17	meters to corner	253 ;
thence	S 38-09-26 W	211.99	meters to corner	254 ;
thence	S 81-24-59 W	212.73	meters to corner	255 ;
thence	S 19-17-24 W	84.10	meters to corner	256 ;
thence	S 77-35-33 W	203.18	meters to corner	257 ;
thence	S 55-08-44 W	270.84	meters to corner	258 ;

thence	S 76-55-48 W	156.35	meters to corner	259 ;
thence	S 87-53-10 W	473.40	meters to corner	260 ;
thence	S 44-59-59 W	260.54	meters to corner	261 ;
thence	N 01-28-08 W	129.03	meters to corner	262 ;
thence	N 35-01-20 E	512.90	meters to corner	263 ;
thence	N 27-10-39 E	153.45	meters to corner	264 ;
thence	N 25-12-04 W	149.13	meters to corner	265 ;
thence	N 06-10-13 E	147.70	meters to corner	266 ;
thence	N 72-53-50 W	107.96	meters to corner	267 ;
thence	N 01-13-08 E	186.57	meters to corner	268 ;
thence	N 83-05-20 W	131.93	meters to corner	269 ;
thence	S 19-58-59 W	92.91	meters to corner	270 ;
thence	S 30-27-56 E	234.83	meters to corner	271 ;
thence	S 20-02-08 E	245.28	meters to corner	272 ;
thence	S 38-04-54 W	563.03	meters to corner	273 ;
thence	S 65-50-43 W	89.92	meters to corner	274 ;
thence	S 09-39-06 E	489.38	meters to corner	275 ;
thence	S 31-30-15 W	120.25	meters to corner	276 ;
thence	N 30-30-39 W	84.74	meters to corner	277 ;
thence	N 84-48-20 W	131.51	meters to corner	278 ;
thence	N 55-42-47 W	105.68	meters to corner	279 ;
thence	S 46-33-06 W	75.24	meters to corner	280 ;
thence	S 47-58-51 W	116.87	meters to corner	281 ;
thence	N 13-51-40 W	251.81	meters to corner	282 ;
thence	N 49-07-15 W	273.79	meters to corner	283 ;
thence	S 80-32-16 W	193.13	meters to corner	284 ;
thence	S 03-00-46 W	75.51	meters to corner	285 ;
thence	S 58-44-06 E	267.25	meters to corner	286 ;

thence	S 13-38-38 W	166.50	meters to corner	287 ;
thence	S 37-38-51 W	140.35	meters to corner	288 ;
thence	S 38-26-14 E	127.68	meters to corner	289 ;
thence	S 52-28-18 W	138.12	meters to corner	290 ;
thence	S 00-00-00 W	161.93	meters to corner	291 ;
thence	S 75-08-59 E	216.79	meters to corner	292 ;
thence	S 19-51-19 E	60.76	meters to corner	293 ;
thence	S 72-45-31 W	96.41	meters to corner	294 ;
thence	S 06-52-12 W	132.72	meters to corner	295 ;
thence	S 82-35-35 E	160.09	meters to corner	296 ;
thence	S 12-59-41 E	63.54	meters to corner	297 ;
thence	S 37-29-33 E	146.06	meters to corner	298 ;
thence	S 29-04-46 E	356.03	meters to corner	299 ;
thence	N 73-23-35 W	94.43	meters to corner	300 ;
thence	N 37-25-54 W	323.87	meters to corner	301 ;
thence	N 84-06-50 W	154.80	meters to corner	302 ;
thence	S 63-33-23 W	335.10	meters to corner	303 ;
thence	S 41-06-56 W	127.41	meters to corner	304 ;
thence	N 76-07-49 W	340.98	meters to corner	305 ;
thence	N 21-04-45 W	278.10	meters to corner	306 ;
thence	N 04-07-50 W	470.80	meters to corner	307 ;
thence	N 19-17-24 E	140.16	meters to corner	308 ;
thence	N 64-03-28 W	272.17	meters to corner	309 ;
thence	S 54-09-44 W	440.60	meters to corner	310 ;
thence	S 09-36-19 E	436.06	meters to corner	311 ;
thence	S 80-52-11 W	375.17	meters to corner	312 ;
thence	N 05-18-52 E	285.66	meters to corner	313 ;
thence	S 58-37-37 W	317.64	meters to corner	314 ;

thence	S 22-04-04 W	264.09	meters to corner	315 ;
thence	S 44-32-03 E	575.32	meters to corner	316 ;
thence	N 85-42-39 E	265.33	meters to corner	317 ;
thence	S 25-01-01 W	218.98	meters to corner	318 ;
thence	S 69-46-30 E	267.87	meters to corner	319 ;
thence	S 17-49-08 W	194.54	meters to corner	320 ;
thence	S 65-13-29 E	189.41	meters to corner	321 ;
thence	S 54-43-17 W	151.49	meters to corner	322 ;
thence	N 47-46-24 W	366.96	meters to corner	323 ;
thence	N 58-34-14 W	418.61	meters to corner	324 ;
thence	S 84-17-22 W	239.31	meters to corner	325 ;
thence	N 50-49-35 W	138.22	meters to corner	326 ;
thence	S 84-34-23 W	531.55	meters to corner	327 ;
thence	S 44-57-09 W	292.66	meters to corner	328 ;
thence	N 61-17-40 W	312.28	meters to corner	329 ;
thence	N 46-02-03 W	657.64	meters to corner	330 ;
thence	N 19-17-51 E	799.11	meters to corner	331 ;
thence	N 65-11-26 E	261.35	meters to corner	332 ;
thence	N 82-49-39 E	501.89	meters to corner	333 ;
thence	S 53-10-38 E	545.18	meters to corner	334 ;
thence	N 58-57-54 E	308.21	meters to corner	335 ;
thence	N 00-29-57 W	642.34	meters to corner	336 ;
thence	N 10-32-21 E	685.20	meters to corner	337 ;
thence	N 70-29-21 E	603.09	meters to corner	338 ;
thence	N 01-40-38 E	318.33	meters to corner	339 ;
thence	N 01-40-37 E	178.72	meters to corner	340 ;
thence	S 63-51-31 E	265.44	meters to corner	341 ;
thence	S 32-37-09 W	353.40	meters to corner	342 ;

thence	S 09-38-15 E	213.36	meters to corner	343 ;
thence	S 64-47-56 W	223.70	meters to corner	344 ;
thence	S 13-37-37 E	134.76	meters to corner	345 ;
thence	N 74-32-20 E	193.54	meters to corner	346 ;
thence	S 26-33-54 W	141.99	meters to corner	347 ;
thence	S 13-29-45 E	102.04	meters to corner	348 ;
thence	S 76-55-50 E	228.16	meters to corner	349 ;
thence	N 49-50-38 E	166.17	meters to corner	350 ;
thence	N 90-00-00 E	134.94	meters to corner	351 ;
thence	S 35-25-01 E	219.15	meters to corner	352 ;
thence	N 68-44-58 E	76.65	meters to corner	353 ;
thence	N 25-56-32 E	163.30	meters to corner	354 ;
thence	N 82-59-01 E	259.92	meters to corner	355 ;
thence	N 55-13-20 W	173.95	meters to corner	356 ;
thence	N 08-41-11 E	289.07	meters to corner	357 ;
thence	S 82-38-51 W	124.05	meters to corner	358 ;
thence	S 61-33-25 W	108.33	meters to corner	359 ;
thence	N 01-21-50 E	166.74	meters to corner	360 ;
thence	S 63-45-31 W	314.16	meters to corner	361 ;
thence	N 27-33-10 W	102.96	meters to corner	362 ;
thence	N 49-41-09 E	171.76	meters to corner	363 ;
thence	N 35-56-32 W	392.17	meters to corner	364 ;
thence	S 66-30-05 W	99.54	meters to corner	365 ;
thence	N 63-51-31 W	265.44	meters to corner	366 ;
thence	N 65-11-40 W	293.39	meters to corner	367 ;
thence	N 06-32-00 E	403.22	meters to corner	368 ;
thence	N 84-49-30 E	595.50	meters to corner	369 ;
thence	N 44-13-55 W	590.33	meters to corner	370 ;

thence	N 28-17-40 W	696.42	meters to corner	371 ;
thence	S 89-20-29 W	973.60	meters to corner	372 ;
thence	N 62-19-41 W	207.17	meters to corner	373 ;
thence	N 47-19-57 E	161.97	meters to corner	374 ;
thence	N 76-51-58 E	326.03	meters to corner	375 ;
thence	N 68-11-55 E	82.03	meters to corner	376 ;
thence	N 68-11-55 E	88.95	meters to corner	377 ;
thence	N 24-13-40 W	116.06	meters to corner	378 ;
thence	N 21-12-33 E	380.30	meters to corner	379 ;
thence	N 11-03-23 W	469.08	meters to corner	380 ;
thence	N 15-11-09 W	383.82	meters to corner	381 ;
thence	S 70-15-11 W	219.27	meters to corner	382 ;
thence	S 37-02-33 W	351.37	meters to corner	383 ;
thence	S 34-38-30 W	427.79	meters to corner	384 ;
thence	N 87-49-31 W	278.27	meters to corner	385 ;
thence	N 35-35-41 W	289.78	meters to corner	1 ;

the point of the beginning, covering a total area of 2217.97 hectares, more or less.

BLOCK - XX

Beginning at a point marked 1 on Forestland Boundary Map, being S 49-50-45 E, 44079.6 meters from PLW-8 (***PRS -92 Control Point: Latitude 10-49-46.99792, Longitude 119-30-59.28481***) Brgy. Poblacion, Municipality of Taytay, Province of Palawan:

thence	S 65-43-41 E	1388.32	meters to corner	2 ;
thence	N 88-14-29 E	510.51	meters to corner	3 ;
thence	N 65-08-34 E	436.57	meters to corner	4 ;
thence	N 25-45-24 W	415.27	meters to corner	5 ;
thence	N 66-16-48 E	597.43	meters to corner	6 ;
thence	S 77-19-09 E	578.39	meters to corner	7 ;

thence	S 22-39-29 W	496.37	meters to corner	8 ;
thence	S 01-41-05 W	449.99	meters to corner	9 ;
thence	S 46-35-59 E	315.87	meters to corner	10 ;
thence	S 05-35-58 E	325.40	meters to corner	11 ;
thence	S 58-48-54 W	282.06	meters to corner	12 ;
thence	N 87-23-51 W	279.69	meters to corner	13 ;
thence	N 31-54-29 W	792.91	meters to corner	14 ;
thence	N 88-57-30 W	349.31	meters to corner	15 ;
thence	S 71-52-41 W	367.48	meters to corner	16 ;
thence	S 83-09-26 W	319.78	meters to corner	17 ;
thence	S 49-05-08 W	378.13	meters to corner	18 ;
thence	S 05-02-33 W	216.74	meters to corner	19 ;
thence	S 48-28-06 W	296.89	meters to corner	20 ;
thence	S 81-01-39 W	610.73	meters to corner	21 ;
thence	S 51-14-21 W	270.48	meters to corner	22 ;
thence	N 61-23-22 W	165.76	meters to corner	23 ;
thence	N 36-05-54 E	196.47	meters to corner	24 ;
thence	S 82-15-17 W	288.22	meters to corner	25 ;
thence	N 01-07-55 W	108.32	meters to corner	26 ;
thence	N 27-45-31 W	213.03	meters to corner	27 ;
thence	N 69-38-48 W	218.71	meters to corner	28 ;
thence	S 57-10-40 W	590.74	meters to corner	29 ;
thence	N 25-56-32 W	544.33	meters to corner	30 ;
thence	N 47-54-31 W	418.48	meters to corner	31 ;
thence	N 25-09-34 W	241.16	meters to corner	32 ;
thence	N 34-07-47 E	181.25	meters to corner	33 ;
thence	N 80-52-54 E	273.07	meters to corner	34 ;
thence	S 41-47-04 E	285.35	meters to corner	35 ;

thence	N 26-33-54 E	587.13	meters to corner	36 ;
thence	S 68-11-55 E	170.66	meters to corner	37 ;
thence	S 31-42-05 W	180.92	meters to corner	38 ;
thence	S 16-03-36 E	310.93	meters to corner	39 ;
thence	N 60-27-40 E	156.10	meters to corner	40 ;
thence	N 19-34-23 W	216.22	meters to corner	41 ;
thence	N 39-36-38 E	170.42	meters to corner	42 ;
thence	S 58-19-28 E	250.02	meters to corner	43 ;
thence	N 48-34-35 E	307.91	meters to corner	44 ;
thence	S 46-58-30 E	207.20	meters to corner	45 ;
thence	N 29-42-46 E	335.41	meters to corner	1 ;

the point of the beginning, covering a total area of 498.20 hectares, more or less.

BLOCK - XXI

Beginning at a point marked 1 on Forestland Boundary Map, being N 42-33-13 E, 31724.848 meters from PLW-101 (***PRS -92 Control Point: Latitude 10-22-10.85458, Longitude 119-8-55.77609***) Brgy. Port Barton, Municipality of San Vicente, Province of Palawan:

thence	N 05-17-24 W	308.90	meters to corner	2 ;
thence	S 35-55-43 E	485.37	meters to corner	3 ;
thence	S 82-00-38 E	327.86	meters to corner	4 ;
thence	S 83-17-25 E	292.50	meters to corner	5 ;
thence	S 16-33-25 E	219.87	meters to corner	6 ;
thence	S 74-44-42 E	324.72	meters to corner	7 ;
thence	N 47-02-43 E	225.70	meters to corner	8 ;
thence	N 56-49-17 E	176.94	meters to corner	9 ;
thence	N 07-16-30 E	269.89	meters to corner	10 ;
thence	N 12-50-52 E	333.01	meters to corner	11 ;
thence	N 00-00-00 E	296.19	meters to corner	12 ;

thence	N 17-06-10 E	232.42	meters to corner	13 ;
thence	N 31-45-34 E	78.72	meters to corner	14 ;
thence	S 35-23-16 E	219.36	meters to corner	15 ;
thence	S 54-44-37 W	52.85	meters to corner	16 ;
thence	S 00-00-00 W	244.93	meters to corner	17 ;
thence	S 04-00-51 W	325.47	meters to corner	18 ;
thence	S 49-11-06 E	165.58	meters to corner	19 ;
thence	S 22-31-14 W	505.63	meters to corner	20 ;
thence	S 08-55-50 E	403.62	meters to corner	21 ;
thence	S 45-40-27 E	342.38	meters to corner	22 ;
thence	N 65-46-20 E	249.85	meters to corner	23 ;
thence	N 84-08-38 E	223.31	meters to corner	24 ;
thence	S 05-42-38 E	114.49	meters to corner	25 ;
thence	S 56-18-36 E	164.30	meters to corner	26 ;
thence	N 89-01-44 E	336.12	meters to corner	27 ;
thence	S 75-19-25 W	247.30	meters to corner	28 ;
thence	S 87-16-25 W	239.51	meters to corner	29 ;
thence	N 41-31-54 W	266.32	meters to corner	30 ;
thence	S 68-44-58 W	330.03	meters to corner	31 ;
thence	S 84-28-21 W	177.40	meters to corner	32 ;
thence	N 39-10-25 W	198.38	meters to corner	33 ;
thence	N 59-58-54 W	130.85	meters to corner	34 ;
thence	N 59-58-54 W	165.19	meters to corner	35 ;
thence	N 73-36-38 W	302.80	meters to corner	36 ;
thence	N 56-18-36 W	225.91	meters to corner	37 ;
thence	S 68-44-58 W	330.03	meters to corner	38 ;
thence	N 04-29-05 W	291.39	meters to corner	39 ;
thence	N 70-06-53 W	284.69	meters to corner	40 ;

thence	N 54-34-59 W	314.52	meters to corner	41 ;
thence	N 47-07-16 W	217.65	meters to corner	1 ;

the point of the beginning, covering a total area of 105.75 hectares, more or less.

BLOCK – XXIII

Beginning at a point marked I on Forestland Boundary Map, being N 38-16-29 E, 5430.561 meters from PL W-101 (***PRS -92 Control Point: Latitude 10-22-10.85458, Longitude 119-8-55.77609***) Brgy. Port Barton, Municipality of San Vicente, Province of Palawan:

thence	N 46-10-09 W	207.93	meters to corner	2 ;
thence	N 04-59-37 W	206.79	meters to corner	3 ;
thence	N 64-09-07 W	428.91	meters to corner	4 ;
thence	N 33-17-12 E	512.00	meters to corner	5 ;
thence	N 15-07-05 W	256.89	meters to corner	6 ;
thence	N 40-48-54 W	348.83	meters to corner	7 ;
thence	N 01-31-32 E	413.15	meters to corner	8 ;
thence	N 16-39-24 E	387.25	meters to corner	9 ;
thence	S 28-25-26 E	220.59	meters to corner	10 ;
thence	S 80-51-53 E	201.56	meters to corner	11 ;
thence	S 82-12-29 E	191.77	meters to corner	12 ;
thence	S 22-26-06 W	453.31	meters to corner	13 ;
thence	S 00-21-39 W	635.01	meters to corner	14 ;
thence	S 16-21-40 E	454.40	meters to corner	15 ;
thence	S 14-02-10 E	255.63	meters to corner	16 ;
thence	S 81-00-00 E	326.01	meters to corner	17 ;
thence	S 83-23-55 E	339.25	meters to corner	18 ;
thence	S 76-15-49 W	92.65	meters to corner	19 ;
thence	S 85-15-34 W	205.70	meters to corner	20 ;
thence	S 73-51-42 W	244.64	meters to corner	21 ;

thence S 68-43-13 W 203.90 meters to corner 1 ;

the point of the beginning, covering a total area of 78.39 hectares, more or less.

BLOCK - XXIV

Beginning at a point marked 1 on Forestland Boundary Map, being N 46-44-33 W, 5322.306 meters from PLW-101 (*PRS -92 Control Point: Latitude 10-22-10.85458, Longitude 119-8-55.77609*) Brgy. Port Barton, Municipality of San Vicente, Province of Palawan:

thence	N 07-40-28 W	284.55	meters to corner	2 ;
thence	N 51-06-56 W	278.77	meters to corner	3 ;
thence	N 20-44-27 W	471.56	meters to corner	4 ;
thence	N 04-56-10 E	220.82	meters to corner	5 ;
thence	N 56-32-46 E	115.02	meters to corner	6 ;
thence	S 09-54-52 E	162.84	meters to corner	7 ;
thence	S 16-12-34 E	250.96	meters to corner	8 ;
thence	S 24-36-41 E	264.00	meters to corner	9 ;
thence	S 54-10-13 E	345.35	meters to corner	10 ;
thence	S 45-41-54 E	357.71	meters to corner	11 ;
thence	N 83-57-38 W	294.64	meters to corner	12 ;
thence	S 50-25-48 W	186.81	meters to corner	1 ;

the point of the beginning, covering a total area of 23.58 hectares, more or less.

BLOCK - XXVI

Beginning at a point marked 1 on Forestland Boundary Map, being N 13-18-20 W, 5298.596 meters from PLW-200 (*PRS -92 Control Point: Latitude 10-19-2.25655, Longitude 119-20-36.65108*) Municipality of Roxas, Province of Palawan:

thence	N 66-04-12 W	269.12	meters to corner	2 ;
thence	S 82-18-32 W	176.18	meters to corner	3 ;
thence	N 21-14-35 W	154.16	meters to corner	4 ;

thence	N 71-04-31 W	259.00	meters to corner	5 ;
thence	N 87-54-52 W	357.24	meters to corner	6 ;
thence	S 79-42-32 W	375.03	meters to corner	7 ;
thence	N 55-06-33 W	277.97	meters to corner	8 ;
thence	N 42-46-23 E	254.75	meters to corner	9 ;
thence	S 74-50-45 E	447.56	meters to corner	10 ;
thence	N 85-54-16 E	406.04	meters to corner	11 ;
thence	S 44-25-00 E	347.21	meters to corner	12 ;
thence	S 81-11-25 E	274.24	meters to corner	13 ;
thence	N 89-41-40 E	375.01	meters to corner	14 ;
thence	S 44-16-42 W	320.22	meters to corner	1 ;

the point of the beginning, covering a total area of 34.61 hectares, more or less.

Bearings and distances of lines were derived using the PRS 1992 Philippine Zone 1 Coordinate System, subject to ground delineation and demarcation.

SECTION 3. Within ninety (90) days from the effectivity of this Act, the Secretary of the Department of Environment and Natural Resources, shall issue rules and regulations to implement this Act.

SECTION 4. All laws, executive orders, issuances, rules and regulations, or parts thereof inconsistent with the provisions of this Act are hereby repealed, amended, or modified accordingly.

SECTION 5. This Act shall take effect fifteen (15) days after its publication in the Official Gazette or in a newspaper of general circulation.

Approved